




THE PRODUCT OVERVIEW FROM JORDAN LACKE 2025/2026



JORDAN Lacke is a brand of PLANTAG Coatings GmbH. Based on the strong alliance of this group, we have a very good network of subsidiaries and distributors as well as our own innovative laboratories. We ensure short ways to our customers on the one hand, but also a broad expertise and innovative surface solutions using the most modern raw materials.

Based on this, we have been developing high-quality products for over 125 years. In all those years, we have established a firm place for ourselves with joineries and are proud of a variety of satisfied and long-standing partners.

After all, you are at the centre of everything we do. For carpenters, there are a multitude of application areas and uses for our

products in everyday life. And so our new application-oriented product overview is designed to help you in practice to quickly find the perfect surface solution.

Discover on the next pages what has impressed our customers and partners for over 125 years. Find new trends and show what you can do with the **JORDAN Lacke product world.**



DISCOVER JORDAN LACKE

AND OUR WIDE RANGE OF PRODUCTS FOR ALL APPLICATIONS

> Quick overview from page 86

















FOR FURNITURE

For furniture of all kinds, we offer the right products for your individual surfaces, from clear and coloured lacquers to metallic shades, oils and stains.

FOR KITCHENS & BATHROOMS

36 - 45

18 - 35

Kitchen and bathroom furniture surfaces have special requirements. Select from our product portfolio lacquers, oils and stains for the creation of high-quality surfaces.

FOR PARQUET & STAIRS

46 - 53

To protect parquet floors and stairs, we offer a wide range of products for heavily used surfaces. Dirt-, scratch- and abrasion-resistant - for the highest demands.

FOR DOORS

54 - 63

Water-based lacquers and oils for interior doors, door panels and frames. Our portfolio offers opaque, glazing and clear lacquers as well as oiled surfaces.

FOR INTERIOR FITTINGS

64 - 73

For a healthy indoor climate - with our decopaint-compliant lacquers, oils and stains for coating wooden ceilings, wall panelling, etc. Choose from a wide range of products.

FOR OUTDOOR USE

74 – 77

Our biocide- and pesticide-free wood preservative for exterior use not only protects wood surfaces, but also the environment: effective against animal and plant pests.

FOR CARE & CLEANING

78 - 83

Whether by hand or machine: with our cleaning and care products, you can maintain surfaces and ensure a long-lasting value preservation of furniture and floors.

ADDITIONAL PRODUCTS

84 - 85

Our wide range of additional products offers further possibilities for surface coating with effect pastes, colour concentrates and additives.

COMPETENCE IN LACQUER LOCALLY PRESENT

JORDAN LACKE - YOUR EXPERT IN TERMS OF COATINGS

COMPETENCE IN LACQUER FOR ROBUST SURFACES AND HIGHEST RESISTANCE.
THE PERFECT PROTECTION

2 COMPETENCE IN LACQUER FOR FINE AND HIGH-QUALITY SURFACES THE PERFECT FINISH

COMPETENCE IN LACQUER FOR A VARIETY OF DESIGN POSSIBILITIES.
THE PERFECT DESIGN

COMPETENCE IN LACQUER FOR FUNCTIONAL SURFACES.
THE PERFECT FUNCTION

COMPETENCE FOR THE ENVIRONMENT CONSCIOUS ACTION BEYOND THE SURFACE

Because it is important what you put on top: The PCG helmet is the sign of highest quality regarding surfaces. Protection, finish, design, and function - our helmet serves as a symbol for all these features.

In our company you will always find your direct contact person, be it inhouse or among our field staff. We offer commercial and technical customer service. Our international experts support you worldwide.

Discover our customer service at **jordanlacke.de/en/** and quickly find assistance in your vicinity.

OUR FIELD STAFF IS:

- always quickly available locally
- working for you at all times
- + competent and friendly
- + always professionally up to date





A STRONG GROUP WORLDWIDE CONCENTRATED COMPETENCE FOR A VERSATILE PRODUCT PORTFOLIO

OUR INTERNATIONAL SUBSIDIARIES:

- **BENELUX** PLANTAG COATINGS GROEP B.V.
- **BRASIL** PLANTAG DO BRASIL Ltda
- **INDIA** PLANTAG COATINGS INDIA Pvt. Ltd.
- **POLAND** PLANTAG Sp. z.o.o.
- **SWITZERLAND** PLANTAG SCHWEIZ GMBH
- TÜRKEI PLANTAG ENDÜSTRIYEL BOYA VERNIK SANAYI VE TIC. LTD. ŞTI

OUR ADVANTAGES AT A GLANCE:

- MODERN COATING SYSTEMS
- **■** GOOD PRICE-PERFORMANCE RATIO
- CERTIFIED QUALITY
- **CONSULTING AND TECHNICAL SUPPORT LOCALLY**
- DEVELOPMENT IN COOPERATION WITH THE CUSTOMER
- SYSTEM SUPPLIER WITH OWN LABORATORIES
- **FAST DELIVERIES WORLDWIDE**



FROM DETMOLD TO THE WHOLE WORLD

EXPERIENCE AS A BASIS FOR INNOVATION











WILHELM BAUMANN

LACKFABRIKATION · SEIT 1953

Lacke für die Holzoberflächenbehandlung

VARNISHES FOR WOOD SURFACE TREATMENT SINCE 1953

Since 1953 we have consequently developed from a small medium-sized company to a company group acting worldwide. Today the family-owned company is managed already by the third generation. Thanks to our international network of subsidiaries, dealers and production sites we ensure short ways. We know the local markets and conditions.

As a manufacturer of coatings the PCG Group is a specialist for surface technology. We always have the matching innovative solutions for your product portfolio and your individual production-related conditions. We distinguish ourselves by our experience and commitment for quite special things. Worldwide customers from many different sectors have been our satisfied partners for many years. With in-depth knowledge, service-orientated actions and futuristic products we continuously achieve added value for our customers.

We are strong in coatings - you may rely on this.







STATE-OF-THE-ART PRODUCTION

Sophisticated production sites and efficient processes enable us to manufacture the high-quality coatings, stains and patinating systems. Our wide production range comprises nitro, SH, PUR, UV, and water-based coating systems.

At two German sites we annually manufacture over 15,000 tonnes of coatings and stains and sell them worldwide.

THE SITE AS A QUALITY PROMISE:

"MADE IN GERMANY"

Our production sites have been certified by the TÜV NORD and comply with highest standards. The certification acc. to DIN ISO 9001 verifies our high quality standard and innovative capabilities.

WE MANUFACTURE COATINGS FOR:

- **FURNITURE SURFACES**
- **■** FLOOR SURFACES
- **FINISH FOILS AND EDGES**
- HARD FIBRE AND MDF SURFACES
- GLASS, METAL AND PLASTIC SURFACES
- **■** SPECIAL APPLICATIONS





STRONG REPERTOIRE, STRONG IN COATINGS

EVERYTHING FOR THE PERFECT FINISH



We consider ourselves as a reliable partner regarding the manufacture and sale of coatings, paints, stains, patinating systems as well as waxes and oils. Three companies are managed under the PCG Group's roof that distinguish themselves and complement each other by various core competences:



PRODUCTS FOR INDUSTRY

Your innovative partner in the field of industrial coating of wood and wood materials. Individual product solutions in the sector of UV curing, solvent-based as well as aqueous coating systems are some of PLANTAG Coatings' core competences. In our own laboratories we continuously develop new products and supervise them up to their marketability.



PRODUCTS FOR CRAFTSMEN

Our subsidiary's core competence is the development of application-optimized products for innovative joinery and carpentry. JORDAN Lacke can look back on over 125 years of successful history and has belonged to the PCG Group since 2013.



COATING OF FINISH FOILS AND EDGES

As a development and production company BLC Lack Chemie has been for many years an absolute specialist for the development of coatings for finish foils and edges. The products developed and manufactured by BLC are sold by PLANTAG Coatings.

PLANTAG® TESTED QUALITY

Quality assurance at the highest level. E.g. the test possibilities comprise testing of classic wear effects, ball drop tests, identification of several scratch resistance grades such as those based on the Martindale process, adhesion tests, substrate coating behaviour influenced by the climate as well as many other processes.



When we introduce a product onto the market we know what we are talking about and give it our seal "PCG PLANTAG Tested Quality"

PLANTAG® LABORATORIES

In several laboratories over 30 trained employees develop new surface materials or adapt existing coating systems to the customers' specifications. We take our staff's training in our own hands to warrant our professional competence also in the future. The PCG Group's future employees are qualified by ourselves – from technical laboratory to commercial vocational training. This makes us STRONG IN COATINGS also in the future.

OUR STRENGTH IS TO FIND SOLUTIONS

For over half a century we have developed high-quality products and supported our customers' production processes. We manufacture acc. to the certification standard DIN ISO 9001 and thus verify our high quality standard and innovative capabilities. Thanks to the AEO C safety certificate "Customs simplifications" which allows approved economic operators simplified customs clearance, the main customs office certifies that we do our international business in a safe and reliable way.



PRODUCTS AND SOLUTIONS FOR THE CARPENTER



JORDAN Lacke has always stood for exceptionally high product quality. Carpenters choose JORDAN coatings as with these products they can simply show what they are capable of. According to the motto - show what you can do!

JORDAN Lacke was founded as early as on September 1, 1891 by Heinrich JORDAN, a very appreciated wood expert in Würzburg (Germany). This means that they look back on over 125 years of experience and tradition.

In 2013 JORDAN Lacke became part of the PCG Group. In the year 2016 JORDAN Lacke celebrated their 125th company anniversary. Right in time for this the brand image had been completely revised.

1900: Relocation of the works - which had been transformed into a paint factory a long time ago - to the premises of "Schneiderkeller" in Schweinfurter Strasse.



For more than 125 years JORDAN Lacke have developed products and solutions for carpentry.



1967: The premises in Schweinfurter Strasse became too restricted. At the right time on the 75th company anniversary the totally rearranged works were inaugurated.





THE NEW PLANTAG COATINGS TECHNOLOGY CENTRE

A PLACE FOR TESTING, DEVELOPMENT AND INNOVATION











The new technology centre is not only a location for testing a and development, but also a place for collaboration and innovation in surface technology. It of fers ideal conditions for developing and optimizing innovative products together with customers from the furniture, flooring and panel industry and trade.

The relocation from the old to the new site took place in the last quarter of 2023 and the 1,000 \mbox{m}^2 technology centre has been in operation since the end of January. It is used by both our technical field service and our development laboratories. The proximity to the development laboratories ensures short distances and optimal communication between the departments. Customer visits are always welcome, whether for demonstrations, training or joint developments.

The equipment:

- Surface sanding machine (calibration-, longitudinal-, cross sanding belt, brush)
- Machine for industrial spray coating
- Filler and putty machine
- 3 Roller coaters
- 2 Laboratory roller coaters with distributor unit
- 2 UV dryers (gallium, mercury)
- Jet dryer
- Paint booth for manual application (high and low pressure process)
- EBM system (electron beam hardening)
- UV dryer (inert gas nitrogen)
- LED & excimer UV dryer (inert gas nitrogen)
- 4 Laboratory drying ovens
- Testing laboratory
- Woodworking machines

In the PCG Group's technology centre in Detmold we continuously develop the best solutions for our demanding customers.







With our machinery we can simulate our customer's production conditions and develop our customized surface systems.

OWL University of Applied Sciences and Arts



Cooperation with the OWL University

Successful coating concepts require extensive know-how about pre-treatments and material properties of the material to be coated. For this reason the PCG Group cooperates closely with the OWL University in the study programmes Wood Technology and Industrial Engineering regarding different research projects.

In exchange students are given a detailed insight into the world of coating technology through events in the PCG Group's technology centre.

| | NEW PRODUCT DESIGNATION | OLD PRODUCT DESIGNATION | | NEW PRODUCT DESIGNATION | OLD PRODUCT Designation |
|-------------|---|------------------------------------|-------------|--|--|
| AQUALINE | 1C AQUA-MAGIC-BASE JB7163-00001 | 1C AQUA-MAGIC-BASE JB7163-0001 | CLASSICLINE | 1C TEMPOFIX-MULTI-COAT JM1017 | 1C TEMPOFIX-SCHICHTER SG 17-X |
| | 1C AQUA-MAGIC-FILLER JB7430 | 1C AQUA-FILLER AF 430 | | 2C PUR-MULTI-COAT JM2136 | 2C PUR-SCHICHTER H 136X |
| | 1C AQUA-MAGIC-COLOR JK7462 | 1C AQUA-MAGIC-COLOR AMC 462 | | 2C HIGH-SOLID-CLEAR JM2400 | 2C HIGH-SOLID-SCHICHTER H 400X |
| | 1C AQUA-MAGIC-CLEAR JM7475 | 1C AQUA-CLEAR AC 475-X | | 2C CLASSIC-EXTREME-RESIST JM2894 | 2C CLASSIC-EXTREME-RESIST CE 894-X |
| | 1C AQUA-MAGIC-CLEAR JM7477 | 1C AQUA-CLEAR AC 477-X | | 2C GIESS-COLORLUX JM2370 | 2C GIESS-COLORLUX H 37X |
| | 1C+2C AQUA-STEP JM7490-4-001 | 1C+2C AQUASTEP AS 490-5 | | 2C JORA-ULTRA-MATT-RESIST JF2492-1-001 | 2C JORA-ULTRA-MATT-RESIST JF2492-0000 |
| | 2C AQUA-NATURAL-EFFECT JM8420-1-001 | 2C AQUA-NATUREFFEKT AN 420 | | 2C JOCOPAN-ROHHOLZEFFEKTLACK JM2186-1-001 | 2C JOCOPAN-ROHHOLZEFFEKTLACK H 1861 |
| | 1C DECO-OIL-COLOR JW1630 | 1C DECO-OIL-COLOR DO 630 | STAINLINE | HYDROSTAIN-MODULAR JC73X0 | |
| | 1C DECO-OIL-CLEAR JW1640-3-001 | 1C DECO-OIL DO 640C | STAIN | CLASSICSTAIN JC1731 - JC1833 | CLASSICSTAIN CS 731-833 |
| INE | 1C+2C DECO-OIL-ECO JW1660-3-001 | 1C+2C DECO-OIL DO 660 | | JORDAN NATURE-PUR JM7200-3-001 | JORDAN NATURE-PUR 200 |
| DECOLIN | 1C DECO-OIL-BRIGHT JW1640-30001 | 1C DECO-OBJECT-OIL DO 670 | NATURELINE | JORDAN NATURE FIRE-PROTECT JM7210-3-001 | JORDAN NATURE FIRE-PROTECT 210 |
| | 1C DECO-OIL-NATURAL-WAX JW1680-3-001 | 1C DECO-NATURWACHS-OIL DO 680 | | JORDAN NATURE-COLOR JK7203 | JORDAN NATURE-COLOR 203 |
| | 1C DECO-OIL-HARD-WAX JW1610 | 1C ECO-HARTWACHS-FINISH EHF 570 | | JORDAN NATURE-PUR PLUS PRO JZ7202-0-001 | JORDAN NATURE-PUR PLUS PRO 202 |
| | 2C PUR-FILLER JB2338 | 2C PUR-FILLER F 1338 | CARELINE | JORA-CARE-BASIC-CLEANER JZ7920-0-001 | JORA-CLEAN BASIC CLEANER JCG 920 |
| | 2C ACRYPUR-BASE JM2310-0-001 | 2C ACRYPUR-BASE COAT H 23100 | | JORA-CARE-MAINTENANCE-AGENT JZ7930-0-001 | JORA-CARE-MAINTENANCE-AGENT JCW 930 |
| | 2C JOCOPHEN-BASE JB2010-0-001 | 2C JOCOPHEN-BASE COAT H 2010 | | JORA-CARE-WAX-POLISH JW1940-0-001 | JORA-CARE WAX POLISH JCW 940 |
| | 2C HIGH-SOLID-BASE JB2450-0-001 | 2C HIGH-SOLID-BASE COAT H 4500 | | JORA-CARE-MAINTENANCE-OIL JW1950-0-001 | JORA-CARE MAINTENANCE OIL JCP 950 |
| IN IN | 1C CLASSIC-BASE-METAL JB1820 | 1C CLASSICBASE CBM 820 | | JORA-CARE-MAINTENANCE-OIL JW7955-0-001 | JORA-CARE MAINTENANCE OIL JCP 955 |
| CLASSICLINE | 1C CLASSIC-BASE-GLASS JB1823-0-001 | 1C CLASSICBASE CB 823 | | JORA-CARE-PLASTIC-CLEANER JZ9960-0-001 | JORA-CLEAN PLASTIC CLEANER JCK 960 |
| CLA | 2C JORA-BRILLIANT-COLOR JK2855 | 2C JORA-BRILLANT-COLOR JBC 855 | ADDITIVES | SPECIAL-THINNER JT1313-0-001 | SPECIAL-THINNER V 1313 |
| | 2C JORA-BRILLIANT JF2875-7-001 | 2C JORA-BRILLANT JB 875 | | NITRO-THINNER JT1415-0-001 | NITRO-THINNER V 1415 |
| | 2C HIGH-SOLID-COLOR JK2600 | 2C HIGH-SOLID-COLOR H 600X | | DD-THINNER JT1244-0-001 | DD-THINNER V 2244 |
| | 2C JORA-COLOR JK2150 | 2C JORA-COLOR JC 150 | | Brilliant-Thinner JT1083-0-001 | THINNER HG V 2083 |
| | 2C COLORLUX-METALLIC JK2378 | 2C COLORLUX-METALLIC H 378 | | UNI-CLEAN JT1803-0-001 | UNI-WASHING-SOLVENT V 803 |

| NEW PRODUCT | OLD PRODUCT |
|----------------------------------|---------------------------|
| DESIGNATION | DESIGNATION |
| AQUA-CLEAN | AQUA-CLEAN |
| JZ9460-0-001 | AC 460 |
| RETARDER | RETARDER |
| JT1019-0-001 | V19 |
| CLASSIC-COLOR-CONCENTRATE | CLASSIC-COLOR-CONCENTRATE |
| JC1900 | CCC 1000 - 1009 |
| CLASSIC-PRO-RING-PROTECT | CLASSIC-METALMARKING- |
| JA1802-0-001 | CONCENTRATE CR 802 |
| CLASSIC-PRO-UV-PROTECT | LIGHT GUARD CONCENTRATE |
| JA9045-0-001 | LK 45 |
| GLASS-HARDENER | GLAS HARDENER |
| JH2135-0-001 | GH 135 |
| AQUA-CROSSLINKER JH8413-0-001 | |
| AQUA-PRO-FLOW JA7403-0-001 | |
| LIMED-OAK-PASTE | LIMED-OAK PASTE |
| JZ1669-0-001 | P 1669 |
| DECO-PRO-MATT | DECOMATTPASTE |
| JA9620-0-001 | DM 621 |
| DECO-PRO-MATT | DECOMATTPASTE |
| JA9620-0-002 | DM 622 |
| DECO-PRO-STRUCTURE | DECOSTRUCTURE |
| JA9600-0-001 (GROB) | DS 604 (COARSE) |
| DECO-PRO-STRUCTUE | DECOSTRUCTURE |
| JA9600-0-002 (FEIN) | DS 605 (FINE) |
| PRO-STRUCTURE JA9048-0-001 | |
| CLASSIC-HARDENER | HARDENER |
| JH2132-0-001 | H 132 |
| JOCOPHEN-HARDENER | HARDENER |
| JH2242-0-001 | H 2242 |

ADDITIVES

ARDENER

| NEW PRODUCT | OLD PRODUCT |
|------------------------------------|-------------------|
| DESIGNATION | DESIGNATION |
| HIGH-SOLID-HARDENER | HARDENER |
| JH2023-0-001 | H 4002 |
| HIGH-SOLID-HARDENER | HARDENER |
| JH2022-0-001 | H 6002 |
| BRILLIANT-HARDENER JH2870-0-001 | |
| PUR-HARDENER | HARDENER |
| JH2136-0-001 | H 1362 |
| AQUA-HARDENER | AQUAHARDENER |
| JH8410-0-001 | AH 410 |
| JOCOPAN-HARDENER | HARDENER |
| JH2186-0-001 | H 1862 |
| DECO-OIL-HARDENER | DECO-OIL-HARDENER |
| JH2613-0-001 | DH 613 |

HARDENER





OVERVIEW NEW GLOSS-LEVELS

| GLOSS-LEVEL | CLASSIFICATION | GU |
|-------------|----------------|--------------|
| 1 | natural effect | <5 GU 60° |
| 2 | deep matt | 5-10 GU 60° |
| 3 | matt | 11-20 GU 60° |
| 4 | semi-matt | 21-35 GU 60° |
| 5 | semi-gloss | 36-60 GU 60° |
| 6 | glossy | 61-90 GU 60° |
| 7 | high gloss | >90 GU 60° |

2C HIGH-SOLID-COLOR JK2600

| NEW GLOSS-LEVELS | OLD GLOSS-LEVELS |
|-----------------------|---------------------|
| JK2600-5 (SEMI-GLOSS) | H 6000 MATT |
| JK2600-3 (MATT) | H 6007 SPECIAL MATT |

2C GIESS-COLORLUX JM2370

| NEW GLOSS-LEVELS | OLD GLOSS-LEVELS |
|-------------------------------|-----------------------|
| JM2370-6-001 (GLOSSY) | H 371 (GLOSSY) |
| JM2370-5-001 (SEMI-GLOSS) | H 373 (SEMI-MATT) |
| JM2370-4-001 (SEMI-MATT) | H 375 (MATT) |
| JM2370-3-001 (MATT) | H 377 (SPECIAL MATT) |
| JM2370-2-001 (DEEP MATT) | H 376 (DEEP MATT) |
| JM2370-1-001 (NATURAL EFFECT) | H 376-S2 (SUPER MATT) |

2C PUR-MULTI-COAT JM2136

| NEW GLOSS-LEVELS | OLD GLOSS-LEVELS |
|---------------------------|-----------------------|
| JM2136-5-001 (SEMI-GLOSS) | H 1363 (SEMI-MATT) |
| JM2136-4-001 (SEMI-MATT) | H 1365 (MATT) |
| JM2136-3-001 (MATT) | H 1367 (SPECIAL MATT) |
| JM2136-2-001 (DEEP MATT) | H 1366 (DEEP MATT) |

1C TEMPOFIX-MULTI-COAT JM1017

| NEW GLOSS-LEVELS | OLD GLOSS-LEVELS |
|---------------------------|-----------------------|
| JM1017-5-001 (SEMI-GLOSS) | SG 17-3 G (SEMI-MATT) |
| JM1017-4-001 (SEMI-MATT) | SG 17-5 G (MATT) |

2C HIGH-SOLID-CLEAR J2400

| NEW GLOSS-LEVELS | OLD GLOSS-LEVELS |
|--------------------------|-----------------------|
| JM2400-6-001 (GLOSSY) | H 4001 (GLOSSY) |
| JM2400-3-001 (MATT) | H 4005 (MATT) |
| JM2400-2-001 (DEEP MATT) | H 4007 (SPECIAL MATT) |

1C AQUA-MAGIC-CLEAR JM7475/JM7477

| NEW GLOSS-LEVELS | OLD GLOSS-LEVELS |
|--------------------------|-----------------------|
| JM7475-4-001 (SEMI-MATT) | AC 475-30 (SEMI-MATT) |
| JM7477-4-001 (SEMI-MATT) | AC 477-30 (SEMI-MATT) |
| JM7475-3-001 (MATT) | AC 475-20 (MATT) |
| JM7477-3-001 (MATT) | AC 477-20 (MATT) |
| JM7475-2-001 (DEEP MATT) | AC 475-10 (DEEP MATT) |
| JM7477-2-001 (DEEP MATT) | AC 477-10 (DEEP MATT) |

2C CLASSIC-EXTREME-RESIST JM2894

| NEW GLOSS-LEVELS | OLD GLOSS-LEVELS |
|-------------------------------|----------------------|
| JM2894-2-001 (DEEP MATT) | MATT (CE 894-5) |
| JM2894-1-001 (NATURAL EFFECT) | DEEP MATT (CE 894-6) |

1C DECO-OIL-HARD-WAX JW1610


| NEW GLOSS-LEVELS | OLD GLOSS-LEVELS |
|---------------------------|------------------|
| JW1610-5-001 (SEMI-GLOSS) | MATT (EHF 570) |
| JW1610-3-001 (MATT) | NEW |





SURFACES WITH STYLE

LACQUERS AND OILS FOR FURNITURE



1C AQUA-MAGIC-BASE JB7163-00001

1C AQUA-MAGIC-FILLER JB7430

1C AQUA-MAGIC-COLOR JK7462

1C AQUA-MAGIC-CLEAR JM7475

1C AQUA-MAGIC-CLEAR JM7477

1C+2C AQUA-STEP JM7490-4-001

2C AQUA-NATURAL-EFFECT JM8420-1-001

2C PUR-FILLER JB2338

2C ACRYPUR-BASE JM2310-0-001

2C JOCOPHEN-BASE JB2010-0-001

2C HIGH-SOLID-BASE JB2450-0-001

1C CLASSIC-BASE-METAL JB1820

1C CLASSIC-BASE-GLASS JB1823-0-001

2C JORA-BRILLIANT-COLOR JK2855

2C HIGH-SOLID-COLOR JK2600

2C JORA-COLOR JK2150

2C COLORLUX-METALLIC JK2378

1C TEMPOFIX-MULTI-COAT JM1017

2C PUR-MULTI-COAT JM2136

2C HIGH-SOLID-CLEAR JM2400

2C CLASSIC-EXTREME-RESIST JM2894

2C GIESS-COLORLUX JM2370

2C JORA-ULTRA-MATT-RESIST JF2492-1-001

2C JORA-BRILLIANT JF2875-7-001

2C JOCOPAN-ROHHOLZEFFEKTLACK JM2186-1-001

1C DECO-OIL-COLOR JW1630

1C DECO-OIL-CLEAR JW1640-3-001

1C+2C DECO-OIL-ECO JW1660-3-001

1C DECO-OIL-BRIGHT JW1640-30001

1C DECO-OIL-NATURAL-WAX JW1680-3-001

1C DECO-OIL-HARD-WAX JW1610

HYDROSTAIN-MODULAR JC73X0

CLASSICSTAIN JC1731 - JC1833

18 - 35

^{*} To make it easier for you to switch to the new article descriptions, we have listed the old product names and article numbers in the 2nd line.

1C AQUA-MAGIC-BASE JB7163-00001



Water-based 1-component insulating filler with excellent insulating effect and good sanding properties

DELIVERY BATCHES 7 and 15 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- excellent insulating effect with woods that are rich in resin content
- good sandability
- excellent filling properties
- overcoatable with all our colour lacquer systems from JORDAN Lacke

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION









TYPE OF APPLICATION



1C AQUA-MAGIC-FILLER JB7430 **1C AQUA-FILLER AF 430***

Water-based 1-component universal filler with excellent filling power and good sandability

JB7430-00001 (white) JB7430-09001 (black)

DELIVERY BATCHES $7\ and\ 25\ kg$

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- overcoatable with all our colour lacquer systems from JORDAN Lacke
- excellently sandable
- excellent filling power
- perfect adhesion

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 4102-B1 low flammability (in combination with AQUA-MAGIC-COLOR JK7462)
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION











1C AQUA-MAGIC-COLOR JK7462 1C AQUA-MAGIC-COLOR AMC 462*

Water-based 1-component coloured lacquer harmonising quality demand and environmental awareness

GLOSS LEVEL matt

DELIVERY BATCHES 1, 3, 10 and 25 kg

Colour shades available in RAL, Sikkens, NCS, etc.

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- very high light stability
- very high opacity
- very good sanding marks coverage
- 🛨 high abrasion and scratch resistance
- excellent levelling properties
- easy to use

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 4102-B1 low flammability (in combination with AQUA-MAGIC-CLEAR JM7475)
- DIN 53160 resistance to saliva and perspiration (under examination)
- EN ISO 2409-GT 0 adhesive strength
- decopaint-compliant

SCOPE OF APPLICATION







TYPE OF APPLICATION



Hinweis: Rezepturen im Colormix abrufbar



Water-based 1-component clear lacquer with high scratch and abrasion resistance

GLOSS LEVEL JM7475-2-001 (deep matt) JM7475-3-001 (matt) JM7475-4-001 (semi-matt)

DELIVERY BATCHES 10 and 25 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

1C AQUA-MAGIC-CLEAR JM7475 1C AQUA-CLEAR AC 475-X*

PRODUCT PROPERTIES

- very high light stability
- excellent transparency
- 🛨 high abrasion and scratch resistance
- very good accentuation of the grain
- easy to use

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 4102-B1 low flammability (in combination with AQUA-MAGIC-COLOR JK7462)
- DIN 53160 resistance to saliva and perspiration
- EN ISO 2409-GT 0 adhesive strength
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION











1C AQUA-MAGIC-CLEAR JM7477 **1C AQUA-CLEAR AC 477-X***

Water-based 1-component clear lacquer for coating off porous woods

GLOSS LEVEL JM7477-2-001 (deep matt) JM7477-3-001 (matt) JM7477-4-001 (semi-matt)

DELIVERY BATCHES 10 and 25 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- modified variant of JM7475 especially for porous woods
- very high light stability
- particularly high transparency
- easy to use

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **■** DIN 4102-B1 low flammability (in combination with AQUA-MAGIC-COLOR JK7462)
- EN ISO 2409-GT 0 adhesive strength
- DIN 53160 resistance to saliva and perspiration
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION











1C+2C AQUA-STEP JM7490-4-001 1C+2C AQUASTEP AS490-5*

easy handling

- excellent light stability and good accentuation of the grain
- 🛨 standing and suspended parts can be coated without problems
- even levelling and high abrasion resistance

Transparent, water-based stair lacquer can be used as 1C and 2C lacquer

GLOSS LEVEL semi-matt

MIXING RATIO 10:1 by volume with AQUA-HARDENER JH8410-0-001

DELIVERY BATCHES 10 and 25 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

STANDARDS AND TESTS

PRODUCT PROPERTIES

- EN 71, part 3, free of extractable heavy metals
- following DIN 68861-1B chemical resistance
- EN ISO 2409-GT 0 adhesive strength
- **B** DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION











TYPE OF APPLICATION



22



2C AQUA-NATURAL-EFFECT JM8420-1-001 2C AQUA-NATUREFFEKT AN 420*

Water-based 2-component natural effect lacquer with high resistance

GLOSS LEVEL natural effect

MIXING RATIO 10:1 by volume with AQUA-HARDENER JH8410-0-001

DELIVERY BATCHES 5 and 25 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- ★ high resistance
- wery good chemical and mechanical resistance
- dries to a raw wood-like natural matt finish
- pleasant touch

STANDARDS AND TESTS

- following DIN 68861-1B chemical resistance
- DIN 53160 resistance to saliva and perspiration
- EN 71, part 3, free of extractable heavy metals
- EN ISO 2409-GT 0 adhesive strength
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION











Solvent-based, 2-component universal filler

PUR-FILLER JB2338-00001 (white) PUR-FILLER JB2338-09001 (black)

MIXING RATIO 10:1 by volume with CLASSIC-HARDENER JH2132-0-001

DELIVERY BATCHES 5, 15 and 25 kg

ADDITIONALS

Thinner: JT1244-0-001 | JT1313-0-001

Retarder: JT1019-0-001

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

2C PUR-FILLER JB2338 2C PUR-FILLER F 1338*

PRODUCT PROPERTIES

- ■ fast drying
- very good machine sandability
- good manual sandability
- very good adhesion
- good firmness on vertical surfaces

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 4102-B1 low flammability (in combination
- with JORA-COLOR JK2150 and GIESS-COLORLUX JM2370)
- EN ISO 2409-GT 0 adhesive strength

SCOPE OF APPLICATION











2C ACRYPUR-BASE JM2310-0-001 2C ACRYPUR-BASE COAT H 23100*

Solvent-based, transparent 2-component primer on a polyurethane base

MIXING RATIO

10:1 by volume with CLASSIC-HARDENER JH2132-0-001

DELIVERY BATCHES

10 litre

ADDITIONALS

Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- easy handling
- very good filling power
- excellent sanding

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- free of formaldehyde

SCOPE OF APPLICATION

TYPE OF APPLICATION







2C JOCOPHEN-BASE JB2010-0-001

2C JOCOPHEN-BASE COAT H 2010*





Solvent-based 2-component primer as well as a sealing primer for ingredient-rich woods

MIXING RATIO

2:1 by volume with hardener JOCOPHEN-HARDENER JH2242-0-001

DELIVERY BATCHES

5 litre

ADDITIONALS

Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- + easy to use
- fast drying
- excellent sandability when dry
- Due to very good sealing properties against wood ingredients, the material is excellently suited for coating exotic woods

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- free of formaldehyde

SCOPE OF APPLICATION









2C HIGH-SOLID-BASE JB2450-0-001 2C HIGH-SOLID-BASE COAT H 4500*

Solvent-based 2-component polyurethane system with high solids content

MIXING RATIO 2:1 by volume with HIGH-SOLID-HARDENER JH2023-0-001

DELIVERY BATCHES 5 and 25 litre

ADDITIONALS Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- very high solids content
- ensures solvent, cost and time savings
- high filling power
- very good sanding
- used as base coat for buffable high gloss coatings
- 🛨 very good accentuation of the grain

STANDARDS AND TESTS

DIN 4102-B1 low flammability (in combination with JORA-BRILLIANT JF2875)

SCOPE OF APPLICATION

TYPE OF APPLICATION







Solvent-based adhesive primer for metal

CLASSIC-BASE-METAL JB1820-0-001 (transparent) CLASSIC-BASE-METAL JB1820-07001 (grey)

DELIVERY BATCHES 0,9 and 4,5 kg

ADDITIONALS Thinner: JT1244-0-001

Cleaning: JT1415-0-001 | JT1244-0-001

1C CLASSIC-BASE-METAL JB1820 1C CLASSICBASE CBM 820*

PRODUCT PROPERTIES

excellent adhesion properties on most metal substrates (such as iron, steel, aluminium, copper, etc.)

SCOPE OF APPLICATION





TYPE OF APPLICATION





1C CLASSIC-BASE-GLASS JB1823-0-001 1C CLASSICBASE CB 823*

PRODUCT PROPERTIES high mechanical bon

- 🔢 high mechanical bonding with the glass surface
- 🔢 low application quantity ensures economical use

Solvent-based adhesive primer for glass

DELIVERY BATCHES

1 litre

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

SCOPE OF APPLICATION









2C JORA-BRILLIANT-COLOR JK2855 2C JORA-BRILLANT-COLOR JBC 855*

Solvent-based 2-component high-gloss lacquer with brilliant colours

GLOSS LEVEL high gloss

MIXING RATIO 2:1 by volume with **BRILLIANT-HARDENER JH2870-0-001**

DELIVERY BATCHES 1, 5 and 25 kg

Colour shades available in RAL, Sikkens, NCS, etc.

ADDITIONALS Thinner: JT1083-0-001

Cleaning: JT1244-0-001 | JT1803-0-001 | JT1083-0-001

PRODUCT PROPERTIES

- e coloured, brilliant high-gloss coating
- excellent chemical and mechanical resistance
- ean be buffed and polished after overnight drying

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 4102-B1 low flammability
- **■** DIN 68861-1B chemical resistance
- EN ISO 2409-GT 0 adhesive strength
- free of formaldehyde

SCOPE OF APPLICATION









Solvent-based 2-component coloured lacquer system with high filling power

GLOSS LEVEL

JK2600-5 semi-glossy (old: H 6000 matt) JK2600-3 matt (old: H 6007 special matt)

MIXING RATIO

2:1 by volume with

HIGH-SOLID-HARDENER JH2022-0-001

DELIVERY BATCHES

1, 3, 10 and 25 kg

Colour shades available in RAL, Sikkens, NCS, etc.

ADDITIONALS

Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1244-0-001 | JT1803-0-001

2C HIGH-SOLID-COLOR JK2600 2C HIGH-SOLID-COLOR H 600X*

PRODUCT PROPERTIES

- very high solids content
- ensures solvent, cost and time savings
- metal marking resistant
- high scratch and abrasion resistance
- extremely fast drying

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1B chemical resistance
- PVC resistant

SCOPE OF APPLICATION





TYPE OF APPLICATION

Note: Recipes available in the Colormix color mixing program



2C JORA-COLOR JK2150 2C JORA-COLOR JC 150*

Solvent-based, matt 2-component PUR acrylate coloured lacquer free of aromatic substances

GLOSS LEVEL

matt

MIXING RATIO 10:1 by volume with CLASSIC-HARDENER JH2132-0-001

DELIVERY BATCHES 1, 3, 10 and 25 kg

Colour shades available in RAL, Sikkens, NCS, etc.

ADDITIONALS Thinner: JT1244-0-001

Retarder: JT1019-0-001 Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- good sanding marks coverage
- easy handling
- lightfast
- ■ free of aromatic substances
- excellent levelling properties
- wery good adhesion on difficult surfaces
- good chemical and mechanical resistance
- suitable for children's toys

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 4102-B1 low flammability (in combination with PUR-FILLER JB2338-09001 and Classic-Hardener JH2132-0-001)
- DIN 68861-1B chemical resistance
- DIN 53160 resistance to saliva and perspiration
- PVC resistant

SCOPE OF APPLICATION



TYPE OF APPLICATION



Note: Recipes available in Colormix

TO CONCIDENCE OF THE PROPERTY OF THE PROPERTY

Solvent-based 2-component lacquer with a decorative metal effect

MIXING RATIO 10:1 by volume with CLASSIC-HARDENER JH2132-0-001

DELIVERY BATCHES 1, 3, 10 and 25 kg

Colour shades available as special adjustments

ADDITIONALS

Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

2C COLORLUX-METALLIC JK2378 2C COLORLUX-METALLIC H 378*

PRODUCT PROPERTIES

- lightfast
- metal marking resistant
- easy handling
- excellent opacity

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **■** DIN 68861-1B chemical resistance
- PVC resistant

SCOPE OF APPLICATION









Note: Metallic shades for furniture surfaces can be self-mixed with JORA-COLOR JK2150



1C TEMPOFIX-MULTI-COAT JM1017 1C TEMPOFIX-SCHICHTER SG 17-X*

Solvent-based 1-component NC multi-layer coating, usable as primer and top coat

GLOSS LEVEL

JM1017-5-001 semi-glossy (old: SG 17-3G semi-matt) JM1017-4-001 semi-matt (old: SG 17-5G matt)

DELIVERY BATCHES 5 and 30 litre

ADDITIONALS Thinner: JT1415-0-001 Retarder: JT1019-0-001

Cleaning: JT1415-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- high filling capacity
- fast drying
- very good sandability
- easy processing in spraying and curtain coating applications
- beautiful surface with smooth touch

STANDARDS AND TESTS

EN 71, part 3, free of extractable heavy metals

SCOPE OF APPLICATION



TYPE OF APPLICATION







2C PUR-SCHICHTER H 136X*

Solvent-based 2-component clear lacquer on a polyurethane base, usable as primer and topcoat

GLOSS LEVEL

JM2136-5-001 semi-glossy (old: H 1363 semi-matt), JM2136-4-001 semi-matt (old: H 1365 matt) JM2136-3-001 matt (old: H 1367 special matt), JM2136-2-001 deep-matt (old: H 1366 deep matt),

MIXING RATIO

10:1 by volume with PUR-HARDENER JH2136-0-001

DELIVERY BATCHES

5 and 25 litre

ADDITIONALS

Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- suitable as primer and top coat
- very good filling power
- easy handling
- achieves a highly resistant, abrasion-proof surface

2C PUR-MULTI-COAT JM2136

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **■** DIN 68861-1B chemical resistance
- PVC resistant

SCOPE OF APPLICATION











2C HIGH-SOLID-CLEAR JM2400 2C HIGH-SOLID-SCHICHTER H 400X*

Solvent-based 2-component clear lacquer on a polyurethane base, usable as primer and topcoat

GLOSS LEVEL

JM2400-6-001 glossy (old: H 4001 glossy) JM2400-3-001 matt (old: H 4005 matt), JM2400-2-001 deep matt (old: H 4007 special matt)

MIXING RATIO

2:1 by volume with

HIGH-SOLID-HARDENER JH203-0-001

DELIVERY BATCHES

10 litre

ADDITIONALS

Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- fast drying
- excellent filling power
- excellent sandability
- ereates a closed porous structure within one day
- high-gloss finishes can be achieved with JM2400-6-001 (glossy)

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1B chemical resistance

SCOPE OF APPLICATION

..

TYPE OF APPLICATION





Solvent-based 2-component clear lacquer / top coat for interior workpieces exposed to high mechanical stresses

GLOSS LEVEL

JM2894-2-001 deep-matt (old: CE 894-5 matt) JM2894-1-001 natural effect (old: CE 894-6 deep matt)

MIXING RATIO

10:1 by volume with

CLASSIC-HARDENER JH2132-0-001

DELIVERY BATCHES

5 and 25 litre

ADDITIONALS

Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

2C CLASSIC-EXTREME-RESIST JM2894 2C CLASSIC-EXTREME-RESIST CE 894-X*

PRODUCT PROPERTIES

- anti-fingerprint
- extremely high resistance to mechanical stress
- suitable for coating surfaces primed with HIGH-SOLID-BASE JB2450-0-001
- suitable for coating surfaces primed with JOCOPHEN-BASE JB2010-0-001
- suitable for coating surfaces that have been coated with JORA-COLOR JK2150
- fast drying
- easy handling

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1B chemical resistance
- EN ISO 2409-GT 0 adhesive strength
- PVC resistant

SCOPE OF APPLICATION











2C GIESS-COLORLUX JM2370 2C GIESS-COLORLUX H 37X*

Solvent-based 2-component clear lacquer with excellent transparency and high light fastness

GLOSS LEVEL

JM2370-6-001 glossy (old: H 371 glossy), JM2370-5-001 semi-glossy (old: H 373 semi-matt), JM2370-4-001 semi-matt (old: H 375 matt), JM2370-3-001 matt (old: H 377 special-matt), JM2370-2-001 deep-matt (old: H 376 deep-matt) JM2370-1-001 natural effect (old: H 376-S2 super-matt)

MIXING RATIO 10:1 by volume with CLASSIC-HARDENER JH2132-0-001

DELIVERY BATCHES

5 and 25 litre (JM2370-6-001 only in 10 litre batches)

ADDITIONALS Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- lightfast
- for curtain coating and spraying
- long pot life (2 3 days)
- recommended for application as a top coat for JORA-COLOR JK2150

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **■** DIN 4102-B1 low flammability
- **■** DIN 68861-1B chemical resistance
- PVC resistant

SCOPE OF APPLICATION











TYPE OF APPLICATION



Solvent-based, ultra-matt 2-component clear lacquer / top coat with very good gloss stability

GLOSS LEVEL natural effect

MIXING RATIO 100:15 by volume with CLASSIC-HARDENER JH2132-0-001

DELIVERY BATCHES 5 and 25 litre

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

2C JORA-ULTRA-MATT-RESIST JF2492-1-001

2C JORA-ULTRA-MATT-RESIST JF2492-0000*

PRODUCT PROPERTIES

- ultra matt gloss level (similar to excimer technology)
- excellent scratch resistance (anti-scratch)
- anti-fingerprint
- very pleasant touch
- extremely good gloss stability
- very high chemical resistance
- suitable for coating surfaces primed with GIESS-COLORLUX JM2370-3-001 and JM2370-2-001
- + for light coloured surfaces

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- following DIN 68861-1B chemical resistance

SCOPE OF APPLICATION











2C JORA-BRILLIANT JF2875-7-001 2C JORA-BRILLIANT JB 875*

PRODUCT PROPERTIES

- transparent, brilliant high-gloss lacquer
- excellent chemical and mechanical resistance
- for transparent surfaces, can be used as a base and a top coat

Solvent-based 2-component high-gloss lacquer with brilliant transparency

GLOSS LEVEL high gloss

MIXING RATIO 2:1 by volume with BRILLIANT-HARDENER JH2870-0-001

DELIVERY BATCHES 5 and 25 litre

ADDITIONALS Thinner: JT1083-0-001 Cleaning: JT1083-0-001 | JT1244-0-001 | JT1803-0-001

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 4102-B1 low flammability
- **■** DIN 68861-1B chemical resistance
- EN ISO 2409-GT 0 adhesive strength
- free of formaldehyde

SCOPE OF APPLICATION

TYPE OF APPLICATION











2C JOCOPAN-ROHHOLZEFFEKTLACK JM2186-1-001 2C JOCOPAN-ROHHOLZEFFEKTLACK H 1861*

PRODUCT PROPERTIES

- 🖪 light inherent colour
- dries up with a natural effect
- achieves a smooth to touch surface with high resistance properties

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1B chemical resistance

GLOSS LEVEL SCOPE OF APPLICATION



TYPE OF APPLICATION

natural effect

natural effect

MIXING RATIO 2:1 by volume with JOCOPAN-HARDENER JH2186-0-001

DELIVERY BATCHES 5 and 25 litre

ADDITIONALS Thinner: JT1244-0-001

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

Solvent-based 2-component special lacquer with



1C DECO-OIL-COLOR JW1630 1C DECO-OIL-COLOR DO 630*

Decopaint-compliant, coloured oil with high hardness

GLOSS LEVEL matt

DELIVERY BATCHES 0,25, 1 and 5 Liter

ADDITIONALS Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- free from aromatics
- easy to use
- good gloss stability
- water and dirt repellent
- ■ available in 11 colour shades
- colour shades can be mixed with each other

STANDARDS AND TESTS

- **DIN 68861-1C chemical resistance**
- e complies GISCODE: Ö 60
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION











TYPE OF APPLICATION







1C DECO-OIL-CLEAR JW1640-3-001 1C DECO-OIL DO 640C*

Decopaint-compliant, transparent oil with high hardness

GLOSS LEVEL matt

DELIVERY BATCHES 1, 5, 10 and 30 litre

ADDITIONALS Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- free from aromatics
- easy to use
- good gloss stability
- water and dirt repellent

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1C chemical resistance
- complies GISCODE: Ö 60
- Slip-resistance class R10
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION













TYPE OF APPLICATION









Note: Consult a technical advisor for application information.



VOC-free 1-component and 2-component oil,

based on renewable raw materials

Deco-Oil-Hardener JH2613-0-001

1C+2C DECO-OIL-ECO JW1660-3-001

1C+2C DECO-OIL DO 660*

PRODUCT PROPERTIES

good accentuation of the grain, emphasizes the inherent colour of the wood

- tan be used with or without hardener
- water and dirt repellent
- the surface has an open-pore appearance with satin-like gloss
- tontains natural raw materials

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- + DIN 68861-1C chemical resistance
- Ö-Norm C 2380:2021 (oil from sustainable resources)
- complies GISCODE: Ö 10+
- VOC-free
- cobalt-free
- decopaint-compliant

TYPE OF APPLICATION









DELIVERY BATCHES

10:1 by volume with

1, 3 and 25 litre

GLOSS LEVEL

MIXING RATIO

matt

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

SCOPE OF APPLICATION











Note: Consult a technical advisor for application information. A 2-component application is recommended for parquet and stairs.

1C DECO-OBJECT-OIL DO 670*

1C DECO-OIL-BRIGHT JW1640-30001

Decopaint-compliant natural oil

GLOSS LEVEL matt

DELIVERY BATCHES 1, 3 and 10 litre

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- suitable for light coloured woods
- excellent water resistance
- high hardness
- excellent gloss stability
- gives the wood an especially natural appearance
- very suitable for coating wood and furniture parts as well as parquet floors and wooden stairs
- 🖶 white inherent colour, brightens the wood shade

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- ➡ DIN 68861-1C chemical resistance
- + complies GISCODE: Ö 60
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION

























1C DECO-OIL-NATURAL-WAX JW1680-3-001

1C DECO-NATURWACHS-OIL DO 680*

Decopaint-compliant oil-wax combination

GLOSS LEVEL semi-matt to matt

DELIVERY BATCHES 1, 3 and 10 litre

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- good penetration behaviour
- good water resistance
- 🛨 the colour and grain of the wood surface are particularly emphasised
- very suitable for coating wood and furniture parts as well as parquet floors and wooden stairs

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **■** DIN 68861-1C chemical resistance
- **■** complies GISCODE: Ö 60
- free from formaldehyde and cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION TYPE OF APPLICATION





















Note: Consult a technical advisor for application information.



1C DECO-OIL-HARD-WAX JW1610 1C ECO-HARTWACHS-FINISH EHF 570*

1-component wax oil for surface treatment of parquet floors and stair components in living areas

GLOSS LEVEL JW1610-5-001 (semi-gloss) JW1610-3-001 (matt)

DELIVERY BATCHES 1 and 3 litre

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 I JT1803-0-001

PRODUCT PROPERTIES

- easy to use
- extremely good penetration behaviour
- good accentuation of the wood surface
- very good levelling properties

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1C chemical resistance
- complies GISCODE: Ö 60
- Slip-resistance class R10
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION

















Note: Consult a technical advisor for application information.

HYDROSTAIN-MODULAR JC73X0



Modular water-based stain system that combines various staining effects

DELIVERY BATCHES

Base components: 1, 5 and 25 litre Dye solutions: 1 and 5 litre Pigment solutions: 1 and 5 litre Special shades: 1, 5 and 25 litre

ADDITIONALS Cleaning: Water

With the HYDROSTAIN-MODULAR-DIVERSE JC7350, special effects can be achieved, which are not available in the modular system, e.g. stains for dipping and drum coating, colour concentrates etc.

PRODUCT PROPERTIES

- modular system for a wide range of applications
- depending on the base, applicable as standard spray stain, as positive wood stain and as rustic stain
- also available for various special applications
- pigments and dyes can be mixed with each other and combined with all bases
- lightfast in combination with pigment solution
- brilliant shades in combination with dye solution

BASE COMPONENTS AVAILABLE AS:

HYDROSTAIN-MODULAR-STANDARD JC7320 (STAIN FOR SPRAYING WITHOUT WIPING)

- easy to use
- universally applicable
- dye and pigment solutions can be combined

HYDROSTAIN-MODULAR-POSITIVE JC7330

(STAIN FOR SPRAYING WITHOUT WIPING)

- achieves an excellent, positive stain pattern
- most suitable for use on softwoods
- achieves brilliant colour results in combination with dye solutions

HYDROSTAIN-MODULAR-RUSTIC JC7340 (RUSTIC STAIN FOR SPRAYING AND WIPING)

- intensive pore structure
- ideal for use on porous woods
- dye and pigment solutions can be combined

SCOPE OF APPLICATION









TYPE OF APPLICATION







Note: Recipes available in Colormix

Solvent-based stain for spraying and wiping

DELIVERY BATCHES Basic shades 1, 3 and 10 litre Card shades 1, 3 and 10 litre Special shades 1, 3, 10 and 25 litre

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

CLASSICSTAIN JC1731 - JC1833 CLASSICSTAIN CS 731-833*

PRODUCT PROPERTIES

- all shades can be mixed with each other
- 🛨 can be applied in a spraying process, with stain brush or sponge
- a pore-emphasized stain appearance is generated with the brightener JC1927-0-001
- can be used as a fast drying spraying stain with the brightener JC1928-0-001

AVAILABLE AS

- CLASSICSTAIN JC1731 in 6 basic shades
- CLASSICSTAIN JC1732 in 12 card shades
- ELASSICSTAIN JC1733 for all special shades
- CLASSICSTAIN JC1832 in 9 card shades
- CLASSICSTAIN JC1833 for all special shades
- available as starter set







TYPE OF APPLICATION



SCOPE OF APPLICATION





2C PUR-FILLER JB2338

2C ACRYPUR-BASE JM2310-0-001

2C JOCOPHEN-BASE JB2010-0-001

2C HIGH-SOLID-COLOR JK2600

2C COLORLUX-METALLIC JK2378

2C PUR-MULTI-COAT JM2136

2C GIESS-COLORLUX JM2370

2C CLASSIC-EXTREME-RESIST JM2894

2C JORA-ULTRA-MATT-RESIST JF2492-1-001

2C JORA-BRILLIANT JF2875-7-001

1C DECO-OIL-CLEAR JW1640-3-001

1C+2C DECO-OIL-ECO JW1660-3-001

1C DECO-OIL-BRIGHT JW1640-30001

1C DECO-OIL-NATURAL-WAX JW1680-3-001

CLASSICSTAIN JC1731 - JC1833

36 - 45





NO PROBLEM WITH HUMIDITY

SURFACES FOR KITCHEN AND BATHROOM

^{*} To make it easier for you to switch to the new article descriptions, we have listed the old product names and article numbers in the 2nd line.



2C PUR-FILLER JB2338 2C PUR-FILLER F 1338*

Solvent-based, 2-component universal filler

PUR-FILLER JB2338-00001 (white) PUR-FILLER JB2338-09001 (black)

MIXING RATIO 10:1 by volume with CLASSIC-HARDENER JH2132-0-001

DELIVERY BATCHES 5, 15 and 25 kg

ADDITIONALS

Thinner: JT1244-0-001 | JT1313-0-001

Retarder: JT1019-0-001

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- fast drying
- very good machine sandability
- good manual sandability
- wery good adhesion
- good firmness on vertical surfaces

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 4102-B1 low flammability (in combination
- with JORA-COLOR JK2150 and GIESS-COLORLUX JM2370)
- EN ISO 2409-GT 0 adhesive strength

SCOPE OF APPLICATION







TYPE OF APPLICATION







Solvent-based, transparent 2-component primer on a polyurethane base

10:1 by volume with CLASSIC-HARDENER JH2132-0-001

DELIVERY BATCHES

10 litre

ADDITIONALS

Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

2C ACRYPUR-BASE JM2310-0-001 2C ACRYPUR-BASE COAT H 23100*

PRODUCT PROPERTIES

- easy handling
- very good filling power
- excellent sanding

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- free of formaldehyde

SCOPE OF APPLICATION











2C JOCOPHEN-BASE JB2010-0-001 2C JOCOPHEN-BASE COAT H 2010*

Solvent-based 2-component primer as well as a sealing primer for ingredient-rich woods

MIXING RATIO 2:1 by volume with hardener JOCOPHEN-HARDENER JH2242-0-001

DELIVERY BATCHES

5 litre

ADDITIONALS Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- easy to use
- fast drying
- excellent sandability when dry
- Due to very good sealing properties against wood ingredients, the material is excellently suited for coating exotic woods

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- free of formaldehyde

SCOPE OF APPLICATION













Solvent-based 2-component coloured lacquer system with high filling power

GLOSS LEVEL

JK2600-5 semi-glossy (old: H 6000 matt) JK2600-3 matt (old: H 6007 special matt)

MIXING RATIO

2:1 by volume with

HIGH-SOLID-HARDENER JH2022-0-001

DELIVERY BATCHES

1, 3, 10 and 25 kg

Colour shades available in RAL, Sikkens, NCS, etc.

ADDITIONALS

Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1244-0-001 | JT1803-0-001

2C HIGH-SOLID-COLOR JK2600 2C HIGH-SOLID-COLOR H 600X*


PRODUCT PROPERTIES

- very high solids content
- ensures solvent, cost and time savings
- metal marking resistant
- solvent-resistant
- igh scratch and abrasion resistance
- extremely fast drying

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1B chemical resistance
- PVC resistant

SCOPE OF APPLICATION





TYPE OF APPLICATION



Note: Recipes available in the Colormix color mixing program



2C COLORLUX-METALLIC JK2378 2C COLORLUX-METALLIC H 378*

Solvent-based 2-component lacquer with a decorative metal effect

MIXING RATIO 10:1 by volume with CLASSIC-HARDENER JH2132-0-001

DELIVERY BATCHES 1, 3, 10 and 25 kg

Colour shades available as special adjustments

ADDITIONALS Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- lightfast
- metal marking resistant
- easy handling
- excellent opacity

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1B chemical resistance
- PVC resistant

SCOPE OF APPLICATION











TYPE OF APPLICATION

Note: Metallic shades for furniture surfaces can be self-mixed with JORA-COLOR JK2150



Solvent-based 2-component clear lacquer on a polyurethane base, usable as primer and topcoat

GLOSS LEVEL

JM2136-5-001 semi-glossy (old: H 1363 semi-matt), JM2136-4-001 semi-matt (old: H 1365 matt) JM2136-3-001 matt (old: H 1367 special matt), JM2136-2-001 deep-matt (old: H 1366 deep matt),

MIXING RATIO

10:1 by volume with PUR-HARDENER JH2136-0-001

DELIVERY BATCHES

5 and 25 litre

ADDITIONALS

Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

2C PUR-MULTI-COAT JM2136 2C PUR-SCHICHTER H 136X*

PRODUCT PROPERTIES

- excellent levelling properties
- t very good filling power
- easy handling
- achieves a highly resistant, abrasion-proof surface

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1B chemical resistance
- PVC resistant

SCOPE OF APPLICATION











2C GIESS-COLORLUX JM2370 2C GIESS-COLORLUX H 37X*

Solvent-based 2-component clear lacquer with excellent transparency and high light fastness

GLOSS LEVEL

JM2370-6-001 glossy (old: H 371 glossy), JM2370-5-001 semi-glossy (old: H 373 semi-matt), JM2370-4-001 semi-matt (old: H 375 matt), JM2370-3-001 matt (old: H 377 special-matt), JM2370-2-001 deep-matt (old: H 376 deep-matt) JM2370-1-001 natural effect (old: H 376-S2 super-matt)

MIXING RATIO 10:1 by volume with CLASSIC-HARDENER JH2132-0-001

DELIVERY BATCHES

5 and 25 litre (JM2370-6-001 only in 10 litre batches)

ADDITIONALS Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- lightfast
- for curtain coating and spraying
- long pot life (2 3 days)
- recommended for application as a top coat for JORA-COLOR JK2150

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **■** DIN 4102-B1 low flammability
- **■** DIN 68861-1B chemical resistance
- PVC resistant

SCOPE OF APPLICATION











TYPE OF APPLICATION



Solvent-based 2-component clear lacquer / top coat for interior workpieces exposed to high mechanical stresses

GLOSS LEVEL

JM2894-2-001 deep-matt (old: CE 894-5 matt) JM2894-1-001 natural effect (old: CE 894-6 deep matt)

MIXING RATIO

10:1 by volume with

CLASSIC-HARDENER JH2132-0-001

DELIVERY BATCHES

5 and 25 litre

ADDITIONALS

Thinner: JT1244-0-001 Retarder: JT1019-0-001

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

2C CLASSIC-EXTREME-RESIST JM2894 2C CLASSIC-EXTREME-RESIST CE 894-X*

PRODUCT PROPERTIES

- anti-fingerprint
- extremely high resistance to mechanical stress
- suitable for coating surfaces primed with HIGH-SOLID-BASE JB2450-0-001
- suitable for coating surfaces primed with JOCOPHEN-BASE JB2010-0-001
- suitable for coating surfaces that have been coated with JORA-COLOR JK2150
- fast drying
- easy handling

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1B chemical resistance
- EN ISO 2409-GT 0 adhesive strength
- **PVC resistant**

SCOPE OF APPLICATION











2C JORA-BRILLIANT JF2875-7-001 2C JORA-BRILLIANT JB 875*

PRODUCT PROPERTIES

- transparent, brilliant high-gloss lacquer
- excellent chemical and mechanical resistance
- for transparent surfaces, can be used as a base and a top coat

Solvent-based 2-component high-gloss lacquer with brilliant transparency

GLOSS LEVEL high gloss

MIXING RATIO 2:1 by volume with BRILLIANT-HARDENER JH2870-0-001

DELIVERY BATCHES 5 and 25 litre

ADDITIONALS Thinner: JT1083-0-001 Cleaning: JT1083-0-001 | JT1244-0-001 | JT1803-0-001

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **■** DIN 4102-B1 low flammability
- **■** DIN 68861-1B chemical resistance
- **■** EN ISO 2409-GT 0 adhesive strength
- free of formaldehyde

SCOPE OF APPLICATION

TYPE OF APPLICATION











Solvent-based, ultra-matt 2-component clear lacquer / top coat with very good gloss stability

GLOSS LEVEL natural effect

MIXING RATIO 100:15 by volume with CLASSIC-HARDENER JH2132-0-001

DELIVERY BATCHES 5 and 25 litre

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

2C JORA-ULTRA-MATT-RESIST JF2492-1-001

2C JORA-ULTRA-MATT-RESIST JF2492-0000*

PRODUCT PROPERTIES

- ultra matt gloss level (similar to excimer technology)
- excellent scratch resistance (anti-scratch)
- anti-fingerprint
- very pleasant touch
- extremely good gloss stability
- 🛨 very high chemical resistance
- suitable for coating surfaces primed with GIESS-COLORLUX JM2370-3-001 and JM2370-2-001
- + for light coloured surfaces

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- following DIN 68861-1B chemical resistance

SCOPE OF APPLICATION











1C DECO-OIL-CLEAR JW1640-3-001 1C DECO-OIL DO 640C*

Decopaint-compliant, transparent oil with high hardness

GLOSS LEVEL matt

DELIVERY BATCHES 1, 5, 10 and 30 litre

ADDITIONALS Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- free from aromatics
- easy to use
- good gloss stability
- water and dirt repellent

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **■** DIN 68861-1C chemical resistance
- Slip-resistance class R10
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION













TYPE OF APPLICATION





Note: Consult a technical advisor for application information.

VOC-free 1-component and 2-component oil, based on renewable raw materials

GLOSS LEVEL

matt

MIXING RATIO

10:1 by volume with

Deco-Oil-Hardener JH2613-0-001

DELIVERY BATCHES

1, 3 and 25 litre

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 |

JT1803-0-001

1C+2C DECO-OIL-ECO JW1660-3-001 1C+2C DECO-OIL DO 660*

PRODUCT PROPERTIES

- good accentuation of the grain, emphasizes the inherent colour of the wood
- tan be used with or without hardener
- water and dirt repellent
- 🛨 the surface has an open-pore appearance with satin-like gloss
- tontains natural raw materials

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **DIN 68861-1C chemical resistance**
- Ö-Norm C 2380:2021 (oil from sustainable resources)
- **■** DGNB criteria for quality level 4
- VOC-free
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION

















TYPE OF APPLICATION





Note: Consult a technical advisor for application information. A 2-component application is recommended for parquet and stairs.



1C DECO-OIL-BRIGHT JW1640-30001 1C DECO-OBJECT-OIL DO 670*

Decopaint-compliant natural oil

GLOSS LEVEL matt

DELIVERY BATCHES 1, 3 and 10 litre

ADDITIONALS Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- suitable for light coloured woods
- good penetration behaviour
- excellent water resistance
- high hardness
- excellent gloss stability
- gives the wood an especially natural appearance
- 🔢 very suitable for coating wood and furniture parts as well as parquet floors and wooden stairs
- 🖶 white inherent colour, brightens the wood shade

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1C chemical resistance
- □ complies GISCODE: Ö 60
- **■** cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION













TYPE OF APPLICATION









Note: Consult a technical advisor for application information.



1C DECO-OIL-NATURAL-WAX JW1680-3-001

1C DECO-NATURWACHS-OIL DO 680*

Decopaint-compliant oil-wax combination

GLOSS LEVEL semi-matt to matt

DELIVERY BATCHES 1, 3 and 10 litre

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- good penetration behaviour
- good water resistance
- 🛨 the colour and grain of the wood surface are particularly emphasised
- wery suitable for coating wood and furniture parts as well as parquet floors and wooden stairs

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1C chemical resistance
- complies GISCODE: Ö 60
- free from formaldehyde and cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION











TYPE OF APPLICATION









Note: Consult a technical advisor for application information.



CLASSICSTAIN JC1731 - JC1833 CLASSICSTAIN CS 731-833*

Solvent-based stain for spraying and wiping

DELIVERY BATCHES Basic shades 1, 3 and 10 litre Card shades 1, 3 and 10 litre Special shades 1, 3, 10 and 25 litre

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- all shades can be mixed with each other
- ean be applied in a spraying process, with stain brush or sponge
- a pore-emphasized stain appearance is generated with the brightener JC1927-0-001
- can be used as a fast drying spraying stain with the brightener JC1928-0-001

AVAILABLE AS

- CLASSICSTAIN JC1731 in 6 basic shades
- ★ CLASSICSTAIN JC1732 in 12 card shades
- ELASSICSTAIN JC1733 for all special shades
- E CLASSICSTAIN JC1832 in 9 card shades
- CLASSICSTAIN JC1833 for all special shades
- available as starter set

SCOPE OF APPLICATION















STEP BY STEP

PRODUCTS FOR PARQUET AND STAIRS

1C AQUA-MAGIC-BASE JB7163-00001 1C+2C AQUA-STEP JM7490-4-001 46 - 53

1C DECO-OIL-HARD-WAX JW1610

1C DECO-OIL-COLOR JW1630


1C DECO-OIL-CLEAR JW1640-3-001

1C+2C DECO-OIL-ECO JW1660-3-001

1C DECO-OIL-BRIGHT JW1640-30001

1C DECO-OIL-NATURAL-WAX JW1680-3-001

HYDROSTAIN-MODULAR JC73X0





^{*} To make it easier for you to switch to the new article descriptions, we have listed the old product names and article numbers in the 2nd line.

1C AQUA-MAGIC-BASE JB7163-00001



Water-based 1-component insulating filler with excellent insulating effect and

good sanding properties

Cleaning: Water | JZ9460-0-001

DELIVERY BATCHES

7 and 15 kg

ADDITIONALS

Thinner: Water

PRODUCT PROPERTIES

excellent insulating effect with woods that are rich in resin content

good sandability

excellent filling properties

■ overcoatable with all our colour lacquer systems from JORDAN Lacke

STANDARDS AND TESTS

EN 71, part 3, free of extractable heavy metals

■ DGNB criteria for quality level 4

decopaint-compliant

SCOPE OF APPLICATION



TYPE OF APPLICATION

NEW!











1C+2C AQUA-STEP JM7490-4-001 1C+2C AQUASTEP AS490-5*

Transparent, water-based stair lacquer

GLOSS LEVEL semi-matt

MIXING RATIO 10:1 by volume with AQUA-HARDENER JH8410-0-001

can be used as 1C and 2C lacquer

DELIVERY BATCHES 10 and 25 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- excellent light stability and good accentuation of the grain
- easy handling
- 🛨 standing and suspended parts can be coated without problems
- 🛨 even levelling and high abrasion resistance

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- following DIN 68861-1B chemical resistance
- EN ISO 2409-GT 0 adhesive strength
- **B** DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION

















1C DECO-OIL-HARD-WAX JW1610 1C ECO-HARTWACHS-FINISH EHF 570*

1-component wax oil for surface treatment of parquet floors and stair components in living areas

GLOSS LEVEL JW1610-5-001 (semi-gloss) JW1610-3-001 (matt)

DELIVERY BATCHES 1 and 3 litre

ADDITIONALS Cleaning: JT1415-0-001 | JT1244-0-001 I JT1803-0-001

PRODUCT PROPERTIES

- easy to use
- extremely good penetration behaviour
- very good water resistance
- very good levelling properties

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1C chemical resistance
- complies GISCODE: Ö 60
- Slip-resistance class R10
- decopaint-compliant

SCOPE OF APPLICATION









TYPE OF APPLICATION





Note: Consult a technical advisor for application information.

Decopaint-compliant, coloured oil with

GLOSS LEVEL matt

high hardness

DELIVERY BATCHES 0,25, 1 and 5 Liter

ADDITIONALS Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

1C DECO-OIL-COLOR DO 630*

1C DECO-OIL-COLOR JW1630

PRODUCT PROPERTIES

- free from aromatics
- easy to use
- good gloss stability
- water and dirt repellent
- available in 11 colour shades
- eduction colour shades can be mixed with each other

STANDARDS AND TESTS

- DIN 68861-1C chemical resistance
- complies GISCODE: Ö 60
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION



















1C DECO-OIL-CLEAR JW1640-3-001 1C DECO-OIL DO 640C*

Decopaint-compliant, transparent oil with high hardness

GLOSS LEVEL matt

DELIVERY BATCHES 1, 5, 10 and 30 litre

ADDITIONALS Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- free from aromatics
- easy to use
- good gloss stability
- water and dirt repellent

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1C chemical resistance
- Slip-resistance class R10
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION













TYPE OF APPLICATION







Note: Consult a technical advisor for application information.

1C+2C DECO-OIL-ECO JW1660-3-001

VOC-free 1-component and 2-component oil, based on renewable raw materials

GLOSS LEVEL matt

MIXING RATIO 10:1 by volume with Deco-Oil-Hardener JH2613-0-001

DELIVERY BATCHES 1, 3 and 25 litre

ADDITIONALS Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

1C+2C DECO-OIL DO 660*

PRODUCT PROPERTIES

- good accentuation of the grain, emphasizes the inherent colour of the wood
- ean be used with or without hardener
- water and dirt repellent
- the surface has an open-pore appearance with satin-like gloss
- contains natural raw materials

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **■** DIN 68861-1C chemical resistance
- ➡ Ö-Norm C 2380:2021 (oil from sustainable resources)
- complies GISCODE: Ö 10+
- **B** DGNB criteria for quality level 4
- **VOC-free**
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION















TYPE OF APPLICATION





Note: Consult a technical advisor for application information. A 2-component application is recommended for parquet and stairs.



1C DECO-OIL-BRIGHT JW1640-30001 1C DECO-OBJECT-OIL DO 670*

Decopaint-compliant natural oil

GLOSS LEVEL matt

DELIVERY BATCHES 1, 3 and 10 litre

ADDITIONALS Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- + suitable for light coloured woods
- excellent water resistance
- high hardness
- gives the wood an especially natural appearance
- very suitable for coating wood and furniture parts as well as parquet floors and wooden stairs
- 🔢 white inherent colour, brightens the wood shade

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1C chemical resistance
- + complies GISCODE: Ö 60
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION











TYPE OF APPLICATION













Note: Consult a technical advisor for application information.



1C DECO-OIL-NATURAL-WAX JW1680-3-001

1C DECO-NATURWACHS-OIL DO 680*

Decopaint-compliant oil-wax combination

GLOSS LEVEL semi-matt to matt

DELIVERY BATCHES 1, 3 and 10 litre

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- good penetration behaviour
- good water resistance
- the colour and grain of the wood surface are particularly emphasised
- very suitable for coating wood and furniture parts as well as parquet floors and wooden stairs

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **DIN 68861-1C chemical resistance**
- complies GISCODE: Ö 60
- free from formaldehyde and cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION

















HYDROSTAIN-MODULAR JC73X0



Modular water-based stain system that combines various staining effects

DELIVERY BATCHES

Base components: 1, 5 and 25 litre Dye solutions: 1 and 5 litre Pigment solutions: 1 and 5 litre Special shades: 1, 5 and 25 litre

ADDITIONALS Cleaning: Water

With the HYDROSTAIN-MODULAR-DIVERSE JC7350, special effects can be achieved, which are not available in the modular system, e.g. stains for dipping and drum coating, colour concentrates etc.

PRODUCT PROPERTIES

- modular system for a wide range of applications
- depending on the base, applicable as standard spray stain, as positive wood stain and as rustic stain
- also available for various special applications
- pigments and dyes can be mixed with each other and combined with all bases
- lightfast in combination with pigment solution
- brilliant shades in combination with dye solution

BASE COMPONENTS AVAILABLE AS:

HYDROSTAIN-MODULAR-STANDARD JC7320 (STAIN FOR SPRAYING WITHOUT WIPING)

- easy to use
- universally applicable
- dye and pigment solutions can be combined

HYDROSTAIN-MODULAR-POSITIVE JC7330 (STAIN FOR SPRAYING WITHOUT WIPING)

- achieves an excellent, positive stain pattern
- most suitable for use on softwoods
- achieves brilliant colour results in combination with dye solutions

HYDROSTAIN-MODULAR-RUSTIC JC7340 (RUSTIC STAIN FOR SPRAYING AND WIPING)

- intensive pore structure
- ideal for use on porous woods
- dye and pigment solutions can be combined

SCOPE OF APPLICATION











TYPE OF APPLICATION







Note: Recipes available in Colormix



SHOWROOM FOR KITCHEN AND BATHROOM

















Wohnkultur Müller: Masterful furnishings, exclusive interior design and handcrafted carpentry

In the centre of Schweinfurt you will find the furniture store Wohnkultur Müller. A place where aesthetics meets functionality and every detail has been created with love. With decades of experience in interior design, the company has made a name for itself beyond the region, standing for the highest quality and timeless elegance.

The origins of the company originate in the carpentry trade. For over 30 years, furniture and interior fittings of the highest quality and perfection have been produced in the in-house carpentry manufactory 'Kröner Schreinerei'. With this background of experience, expertise and professional competence, there is a very special focus on furniture, its materials and manufacture. The special thing about the work is the combination of interior design and the roots: the carpentry trade. They not only design furnishings, but also manufacture them with passion and dedication. These customised products are supplemented by furniture from well-known manufacturers from the furniture store. At Wohnkultur Müller it is not just about the furniture - it's about designing living spaces.

For many years, JORDAN Lacke has been supplying the appropriate surface materials such as lacquers, oils and stains that are required for perfect surfaces. Depending on the project, the appropriate materials are selected in consultation with the technical consultant in order to achieve the best possible requirements for the gloss level and the resistance of the surface, for example.

"We chose JORDAN Lacke as our supplier many years ago, because they not only offer comprehensive technical product advice, but they can also provide precisely matched colours for our furniture extensions and additions without any problems and deliver them quickly. This also gives us access to a wide range of products, from water-based paints and metallic colours to stains and parquet sealers, so that we can offer the entire spectrum of products to our end customers. No matter what surface materials are required, we can find the right solution at JORDAN Lacke."

- Norbert Müller (Owner)

Processed by: Wohnkultur Müller, Schweinfurt www.wohnkultur-mueller.de



SIMPLY INVITINGSURFACE DIVERSITY FOR DOORS

Water-based lacquers and oils for interior doors, door panels and frames. Our portfolio offers opaque, glazing and clear lacquers as well as oiled surfaces.

1C AQUA-MAGIC-BASE JB7163-00001

54 - 63

1C AQUA-MAGIC-FILLER JB7430

1C AQUA-MAGIC-COLOR JK7462

1C AQUA-MAGIC-CLEAR JM7475

1C AQUA-MAGIC-CLEAR JM7477

1C+2C AQUA-STEP JM7490-4-001

2C AQUA-NATURAL-EFFECT JM8420-1-001

1C DECO-OIL-COLOR JW1630


1C DECO-OIL-CLEAR JW1640-3-001

1C+2C DECO-OIL-ECO JW1660-3-001

1C DECO-OIL-BRIGHT JW1640-30001

1C DECO-OIL-NATURAL-WAX JW1680-3-001

HYDROSTAIN-MODULAR JC73X0



^{*} To make it easier for you to switch to the new article descriptions, we have listed the old product names and article numbers in the 2nd line.

1C AQUA-MAGIC-BASE JB7163-00001



NEW!

Water-based 1-component insulating filler with excellent insulating effect and good sanding properties

DELIVERY BATCHES 7 and 15 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- excellent insulating effect with woods that are rich in resin content
- good sandability
- excellent filling properties
- overcoatable with all our colour lacquer systems from JORDAN Lacke

STANDARDS AND TESTS

- **■** EN 71, part 3, free of extractable heavy metals
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION











Marian To

1C AQUA-MAGIC-FILLER JB7430 1C AQUA-FILLER AF 430*

Water-based 1-component universal filler with

excellent filling power and good sandability

JB7430-00001 (white) JB7430-09001 (black)

DELIVERY BATCHES 7 and 25 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- overcoatable with all our colour lacquer systems from JORDAN Lacke
- excellently sandable
- excellent filling power
- perfect adhesion
- excellent firmness on vertical surfaces

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 4102-B1 low flammability (in combination with AQUA-MAGIC-COLOR JK7462)
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION











1C AQUA-MAGIC-COLOR JK7462 1C AQUA-MAGIC-COLOR AMC 462*

Water-based 1-component coloured lacquer harmonising quality demand and environmental awareness

GLOSS LEVEL matt

DELIVERY BATCHES 1, 3, 10 and 25 kg

Colour shades available in RAL, Sikkens, NCS, etc.

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- wery high light stability
- very high opacity
- very good sanding marks coverage
- 🛨 high abrasion and scratch resistance
- excellent levelling properties
- easy to use

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 4102-B1 low flammability (in combination with AQUA-MAGIC-CLEAR JM7475)
- DIN 53160 resistance to saliva and perspiration (under examination)
- EN ISO 2409-GT 0 adhesive strength
- decopaint-compliant

SCOPE OF APPLICATION









TYPE OF APPLICATION

Hinweis: Rezepturen im Colormix abrufbar



Water-based 1-component clear lacquer with high scratch and abrasion resistance

GLOSS LEVEL JM7475-2-001 (deep matt) JM7475-3-001 (matt) JM7475-4-001 (semi-matt)

DELIVERY BATCHES 10 and 25 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

1C AQUA-MAGIC-CLEAR JM7475 1C AQUA-CLEAR AC 475-X*

PRODUCT PROPERTIES

- t very high light stability
- excellent transparency
- 🛨 high abrasion and scratch resistance
- very good accentuation of the grain
- easy to use

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 4102-B1 low flammability (in combination with AQUA-MAGIC-COLOR JK7462)
- DIN 53160 resistance to saliva and perspiration
- EN ISO 2409-GT 0 adhesive strength
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION













Water-based 1-component clear lacquer

GLOSS LEVEL JM7477-2-001 (deep matt) JM7477-3-001 (matt) JM7477-4-001 (semi-matt)

for coating off porous woods

DELIVERY BATCHES 10 and 25 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

1C AQUA-MAGIC-CLEAR JM7477 **1C AQUA-CLEAR AC 477-X***

PRODUCT PROPERTIES

- modified variant of JM7475 especially for porous woods
- very high light stability
- particularly high transparency
- easy to use

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **■** DIN 4102-B1 low flammability (in combination with AQUA-MAGIC-COLOR JK7462)
- EN ISO 2409-GT 0 adhesive strength
- DIN 53160 resistance to saliva and perspiration
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION







TYPE OF APPLICATION







Transparent, water-based stair lacquer can be used as 1C and 2C lacquer

GLOSS LEVEL semi-matt

MIXING RATIO 10:1 by volume with AQUA-HARDENER JH8410-0-001

DELIVERY BATCHES 10 and 25 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

1C+2C AQUA-STEP JM7490-4-001 1C+2C AQUASTEP AS490-5*

PRODUCT PROPERTIES

- excellent light stability and good accentuation of the grain
- easy handling
- 🛨 standing and suspended parts can be coated without problems
- even levelling and high abrasion resistance

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- following DIN 68861-1B chemical resistance
- EN ISO 2409-GT 0 adhesive strength
- **B** DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION

















2C AQUA-NATURAL-EFFECT JM8420-1-001 2C AQUA-NATUREFFEKT AN 420*

Water-based 2-component natural effect lacquer with high resistance

GLOSS LEVEL natural effect

MIXING RATIO 10:1 by volume with AQUA-HARDENER JH8410-0-001

DELIVERY BATCHES 5 and 25 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- ★ high resistance
- wery good chemical and mechanical resistance
- dries to a raw wood-like natural matt finish
- pleasant touch

STANDARDS AND TESTS

- following DIN 68861-1B chemical resistance
- DIN 53160 resistance to saliva and perspiration
- EN 71, part 3, free of extractable heavy metals
- **■** EN ISO 2409-GT 0 adhesive strength
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION











Decopaint-compliant, coloured oil with high hardness

GLOSS LEVEL

DELIVERY BATCHES 0,25, 1 and 5 Liter

ADDITIONALS Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

- easy to use
- good gloss stability
- water and dirt repellent
- available in 11 colour shades
- eduction can be mixed with each other

1C DECO-OIL-COLOR JW1630

1C DECO-OIL-COLOR DO 630*

STANDARDS AND TESTS

- **■** DIN 68861-1C chemical resistance
- complies GISCODE: Ö 60
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION



















1C DECO-OIL-CLEAR JW1640-3-001 1C DECO-OIL DO 640C*

Decopaint-compliant, transparent oil with high hardness

GLOSS LEVEL matt

DELIVERY BATCHES 1, 5, 10 and 30 litre

ADDITIONALS Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- free from aromatics
- easy to use
- good gloss stability
- water and dirt repellent

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1C chemical resistance
- Slip-resistance class R10
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION













TYPE OF APPLICATION



Note: Consult a technical advisor for application information.

1C+2C DECO-OIL-ECO JW1660-3-001

VOC-free 1-component and 2-component oil, based on renewable raw materials

GLOSS LEVEL

matt

MIXING RATIO 10:1 by volume with

Deco-Oil-Hardener JH2613-0-001


DELIVERY BATCHES

1, 3 and 25 litre

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

1C+2C DECO-OIL DO 660*



- ean be used with or without hardener
- water and dirt repellent
- the surface has an open-pore appearance with satin-like gloss
- contains natural raw materials

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **■** DIN 68861-1C chemical resistance
- ➡ Ö-Norm C 2380:2021 (oil from sustainable resources)
- complies GISCODE: Ö 10+
- **B** DGNB criteria for quality level 4
- **VOC-free**
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION















TYPE OF APPLICATION





Note: Consult a technical advisor for application information. A 2-component application is recommended for parquet and stairs.



1C DECO-OIL-BRIGHT JW1640-30001 1C DECO-OBJECT-OIL DO 670*

Decopaint-compliant natural oil

GLOSS LEVEL matt

DELIVERY BATCHES 1, 3 and 10 litre

ADDITIONALS Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- + suitable for light coloured woods
- excellent water resistance
- high hardness
- gives the wood an especially natural appearance
- very suitable for coating wood and furniture parts as well as parquet floors and wooden stairs
- 🔢 white inherent colour, brightens the wood shade

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1C chemical resistance
- + complies GISCODE: Ö 60
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION











TYPE OF APPLICATION

















Note: Consult a technical advisor for application information.



1C DECO-OIL-NATURAL-WAX JW1680-3-001

1C DECO-NATURWACHS-OIL DO 680*

Decopaint-compliant oil-wax combination

GLOSS LEVEL semi-matt to matt

DELIVERY BATCHES 1, 3 and 10 litre

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- good penetration behaviour
- good water resistance
- the colour and grain of the wood surface are particularly emphasised
- very suitable for coating wood and furniture parts as well as parquet floors and wooden stairs

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **DIN 68861-1C chemical resistance**
- complies GISCODE: Ö 60
- free from formaldehyde and cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION





TYPE OF APPLICATION











Note: Consult a technical advisor for application information.

HYDROSTAIN-MODULAR JC73X0



Modular water-based stain system that combines various staining effects

DELIVERY BATCHES

Base components: 1, 5 and 25 litre Dye solutions: 1 and 5 litre Pigment solutions: 1 and 5 litre Special shades: 1, 5 and 25 litre

ADDITIONALS Cleaning: Water

With the HYDROSTAIN-MODULAR-DIVERSE JC7350, special effects can be achieved, which are not available in the modular system, e.g. stains for dipping and drum coating, colour concentrates etc.

PRODUCT PROPERTIES

- modular system for a wide range of applications
- depending on the base, applicable as standard spray stain, as positive wood stain and as rustic stain
- also available for various special applications
- pigments and dyes can be mixed with each other and combined with all bases
- lightfast in combination with pigment solution
- brilliant shades in combination with dye solution

BASE COMPONENTS AVAILABLE AS:

HYDROSTAIN-MODULAR-STANDARD JC7320 (STAIN FOR SPRAYING WITHOUT WIPING)

- easy to use
- universally applicable
- dye and pigment solutions can be combined

HYDROSTAIN-MODULAR-POSITIVE JC7330 (STAIN FOR SPRAYING WITHOUT WIPING)

- achieves an excellent, positive stain pattern
- most suitable for use on softwoods
- achieves brilliant colour results in combination with dye solutions

HYDROSTAIN-MODULAR-RUSTIC JC7340 (RUSTIC STAIN FOR SPRAYING AND WIPING)

- intensive pore structure
- ideal for use on porous woods
- dye and pigment solutions can be combined

SCOPE OF APPLICATION











TYPE OF APPLICATION







Note: Recipes available in Colormix







PARQUET FLOORING IN THE OMEGA MUSEUM IN BIEL

JORDAN LACKE IN ACTION

OUR REFERENCES


















1C AQUA-MAGIC-BASE JB7163-00001

1C AQUA-MAGIC-FILLER JB7430

1C AQUA-MAGIC-COLOR JK7462

1C AQUA-MAGIC-CLEAR JM7475

1C AQUA-MAGIC-CLEAR JM7477

1C+2C AQUA-STEP JM7490-4-001

2C AQUA-NATURAL-EFFECT JM8420-1-001

1C DECO-OIL-COLOR JW1630

1C DECO-OIL-CLEAR JW1640-3-001

1C+2C DECO-OIL-ECO JW1660-3-001

1C DECO-OIL-BRIGHT JW1640-30001

1C DECO-OIL-NATURAL-WAX JW1680-3-001

HYDROSTAIN-MODULAR JC73X0

64 - 73

^{*} To make it easier for you to switch to the new article descriptions, we have listed the old product names and article numbers in the 2nd line.

1C AQUA-MAGIC-BASE JB7163-00001



NEW!

Water-based 1-component insulating filler with excellent insulating effect and good sanding properties

DELIVERY BATCHES 7 and 15 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- excellent insulating effect with woods that are rich in resin content
- good sandability
- excellent filling properties
- 🛨 overcoatable with all our colour lacquer systems from JORDAN Lacke

STANDARDS AND TESTS

- **■** EN 71, part 3, free of extractable heavy metals
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION













1C AQUA-MAGIC-FILLER JB7430 1C AQUA-FILLER AF 430*

Water-based 1-component universal filler with excellent filling power and good sandability

JB7430-00001 (white) JB7430-09001 (black)

DELIVERY BATCHES 7 and 25 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- overcoatable with all our colour lacquer systems from JORDAN Lacke
- excellently sandable
- excellent filling power
- perfect adhesion
- excellent firmness on vertical surfaces

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 4102-B1 low flammability (in combination with AQUA-MAGIC-COLOR JK7462)
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION











1C AQUA-MAGIC-COLOR JK7462 1C AQUA-MAGIC-COLOR AMC 462*

Water-based 1-component coloured lacquer harmonising quality demand and environmental awareness

GLOSS LEVEL matt

DELIVERY BATCHES 1, 3, 10 and 25 kg

Colour shades available in RAL, Sikkens, NCS, etc.

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- very high light stability
- very high opacity
- very good sanding marks coverage
- 🛨 high abrasion and scratch resistance
- excellent levelling properties
- easy to use

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 4102-B1 low flammability (in combination with AQUA-MAGIC-CLEAR JM7475)
- DIN 53160 resistance to saliva and perspiration (under examination)
- EN ISO 2409-GT 0 adhesive strength
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION









Hinweis: Rezepturen im Colormix abrufbar



Water-based 1-component clear lacquer with high scratch and abrasion resistance

GLOSS LEVEL JM7475-2-001 (deep matt) JM7475-3-001 (matt) JM7475-4-001 (semi-matt)

DELIVERY BATCHES 10 and 25 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

1C AQUA-MAGIC-CLEAR JM7475 1C AQUA-CLEAR AC 475-X*

PRODUCT PROPERTIES

- very high light stability
- excellent transparency
- 🛨 high abrasion and scratch resistance
- easy to use

STANDARDS AND TESTS


- EN 71, part 3, free of extractable heavy metals
- DIN 4102-B1 low flammability (in combination with AQUA-MAGIC-COLOR JK7462)
- DIN 53160 resistance to saliva and perspiration
- EN ISO 2409-GT 0 adhesive strength
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION













1C AQUA-CLEAR AC 477-X*

1C AQUA-MAGIC-CLEAR JM7477

Water-based 1-component clear lacquer for coating off porous woods

GLOSS LEVEL JM7477-2-001 (deep matt) JM7477-3-001 (matt) JM7477-4-001 (semi-matt)

DELIVERY BATCHES 10 and 25 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- modified variant of JM7475 especially for porous woods
- very high light stability
- particularly high transparency
- easy to use

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **■** DIN 4102-B1 low flammability (in combination with AQUA-MAGIC-COLOR JK7462)
- EN ISO 2409-GT 0 adhesive strength
- DIN 53160 resistance to saliva and perspiration
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION







TYPE OF APPLICATION







1C+2C AQUA-STEP JM7490-4-001 1C+2C AQUASTEP AS490-5*

Transparent, water-based stair lacquer can be used as 1C and 2C lacquer

GLOSS LEVEL semi-matt

MIXING RATIO 10:1 by volume with AQUA-HARDENER JH8410-0-001

DELIVERY BATCHES 10 and 25 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- excellent light stability and good accentuation of the grain
- easy handling
- 🛨 standing and suspended parts can be coated without problems
- even levelling and high abrasion resistance

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- following DIN 68861-1B chemical resistance
- EN ISO 2409-GT 0 adhesive strength
- **B** DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION

















2C AQUA-NATURAL-EFFECT JM8420-1-001 **2C AQUA-NATUREFFEKT AN 420***

Water-based 2-component natural effect lacquer with high resistance

GLOSS LEVEL natural effect

MIXING RATIO 10:1 by volume with AQUA-HARDENER JH8410-0-001

DELIVERY BATCHES 5 and 25 kg

ADDITIONALS Thinner: Water

Cleaning: Water | JZ9460-0-001

PRODUCT PROPERTIES

- + high resistance
- wery good chemical and mechanical resistance
- dries to a raw wood-like natural matt finish
- pleasant touch

STANDARDS AND TESTS

- following DIN 68861-1B chemical resistance
- DIN 53160 resistance to saliva and perspiration
- EN 71, part 3, free of extractable heavy metals
- **■** EN ISO 2409-GT 0 adhesive strength
- DGNB criteria for quality level 4
- decopaint-compliant

SCOPE OF APPLICATION







1C DECO-OIL-COLOR JW1630

TYPE OF APPLICATION





Decopaint-compliant, coloured oil with high hardness

GLOSS LEVEL matt

DELIVERY BATCHES 0,25, 1 and 5 Liter

ADDITIONALS Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

1C DECO-OIL-COLOR DO 630*

- PRODUCT PROPERTIES ■ free from aromatics
- easy to use
- good gloss stability
- water and dirt repellent
- available in 11 colour shades
- eduction colour shades can be mixed with each other

STANDARDS AND TESTS

- DIN 68861-1C chemical resistance
- complies GISCODE: Ö 60
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION





















1C DECO-OIL-CLEAR JW1640-3-001 1C DECO-OIL DO 640C*

Decopaint-compliant, transparent oil with high hardness

GLOSS LEVEL matt

DELIVERY BATCHES 1, 5, 10 and 30 litre

ADDITIONALS Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- free from aromatics
- easy to use
- good gloss stability
- water and dirt repellent

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **■** DIN 68861-1C chemical resistance
- Slip-resistance class R10
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION













TYPE OF APPLICATION



Note: Consult a technical advisor for application information.

VOC-free 1-component and 2-component oil, based on renewable raw materials

GLOSS LEVEL

matt

MIXING RATIO

10:1 by volume with

Deco-Oil-Hardener JH2613-0-001

DELIVERY BATCHES

1, 3 and 25 litre

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

1C+2C DECO-OIL-ECO JW1660-3-001 1C+2C DECO-OIL DO 660*

PRODUCT PROPERTIES

- good accentuation of the grain, emphasizes the inherent colour of the wood
- tan be used with or without hardener
- water and dirt repellent
- the surface has an open-pore appearance with satin-like gloss
- tontains natural raw materials

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1C chemical resistance
- Ö-Norm C 2380:2021 (oil from sustainable resources)
- complies GISCODE: Ö 10+
- **■** DGNB criteria for quality level 4
- VOC-free
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION

















TYPE OF APPLICATION





Note: Consult a technical advisor for application information. A 2-component application is recommended for parquet and stairs.



1C DECO-OIL-BRIGHT JW1640-30001 1C DECO-OBJECT-OIL DO 670*

Decopaint-compliant natural oil

GLOSS LEVEL matt

DELIVERY BATCHES 1, 3 and 10 litre

ADDITIONALS Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- + suitable for light coloured woods
- excellent water resistance
- high hardness
- gives the wood an especially natural appearance
- very suitable for coating wood and furniture parts as well as parquet floors and wooden stairs
- 🔢 white inherent colour, brightens the wood shade

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- DIN 68861-1C chemical resistance
- + complies GISCODE: Ö 60
- cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION TYPE OF APPLICATION

















Note: Consult a technical advisor for application information.



1C DECO-OIL-NATURAL-WAX JW1680-3-001

1C DECO-NATURWACHS-OIL DO 680*

Decopaint-compliant oil-wax combination

GLOSS LEVEL semi-matt to matt

DELIVERY BATCHES 1, 3 and 10 litre

ADDITIONALS

Cleaning: JT1415-0-001 | JT1244-0-001 | JT1803-0-001

PRODUCT PROPERTIES

- good penetration behaviour
- good water resistance
- the colour and grain of the wood surface are particularly emphasised
- very suitable for coating wood and furniture parts as well as parquet floors and wooden stairs

STANDARDS AND TESTS

- EN 71, part 3, free of extractable heavy metals
- **DIN 68861-1C chemical resistance**
- complies GISCODE: Ö 60
- free from formaldehyde and cobalt-free
- decopaint-compliant

SCOPE OF APPLICATION

















HYDROSTAIN-MODULAR JC73X0



Modular water-based stain system that combines various staining effects

DELIVERY BATCHES

Base components: 1, 5 and 25 litre Dye solutions: 1 and 5 litre Pigment solutions: 1 and 5 litre Special shades: 1, 5 and 25 litre

ADDITIONALS Cleaning: Water

With the HYDROSTAIN-MODULAR-DIVERSE JC7350, special effects can be achieved, which are not available in the modular system, e.g. stains for dipping and drum coating, colour concentrates etc.

PRODUCT PROPERTIES

- modular system for a wide range of applications
- depending on the base, applicable as standard spray stain, as positive wood stain and as rustic stain
- also available for various special applications
- pigments and dyes can be mixed with each other and combined with all bases
- 🔢 lightfast in combination with pigment solution
- brilliant shades in combination with dye solution

BASE COMPONENTS AVAILABLE AS:

HYDROSTAIN-MODULAR-STANDARD JC7320 (STAIN FOR SPRAYING WITHOUT WIPING)

- easy to use
- universally applicable
- 🛨 dye and pigment solutions can be combined

HYDROSTAIN-MODULAR-POSITIVE JC7330 (STAIN FOR SPRAYING WITHOUT WIPING)

- achieves an excellent, positive stain pattern
- most suitable for use on softwoods
- achieves brilliant colour results in combination with dye solutions

HYDROSTAIN-MODULAR-RUSTIC JC7340 (RUSTIC STAIN FOR SPRAYING AND WIPING)

- intensive pore structure
- ideal for use on porous woods
- dye and pigment solutions can be combined

SCOPE OF APPLICATION











TYPE OF APPLICATION







Note: Recipes available in Colormix

JORDAN NATURELINE

THE GREEN PROTECTION FOR WOOD AND ENVIRONMENT







This is a recognised quality label that confirms the product's pollution prevention and sustainability, and its emission requirements cover the following national & international assessment programmes, including:

- AgBB Scheme Germany
- State building regulations / MVV TB Germany: Requirements for structural installations with regard to health protection (ABG)
- DGNB International (Level 4)
- QNG-Ready
- BREEAM
- WELL International und LEED v4
- eco-bau Switzerland
- Belgian VOC Regulation
- French VOC Regulation A+

With JORDAN NATURE-FIRE-PROTECT JM7210-3-001, JORDAN Lacke has recently also started to offer a biocide and solvent-free fire protection coating with which solid wood components can be coated in order to achieve a classification of fire behaviour according to EN 13501-1 C-s1-d0.





The eco-Institute is one of the most experienced German laboratories for indoor air analysis and has been committed to healthy indoor air for more than 30 years. The tests set the highest requirements for the most common indoor pollutants and only tolerate significantly lower emission limits than many other standards.

The experts of the eco-Institute confirm that our Natureline products not only protect your wood outdoors, but also ensure healthy indoor air. All Natureline products can be used safely in areas where allergy sufferers, people with health problems, small children and animals are present.



The Sentinel Holding Institut (SHI) describes itself as a knowledge and market leader on the subject of healthy living and has set itself the goal of making healthier buildings the norm. On its website www.sentinel-haus. de you will find information on emissiontested products, trained specialists, certified practical examples, and thematic worlds all about healthier building and renovation. Thanks to its many convincing features, our NATURELINE product line is listed on the portal.





IN ALL WEATHERS PRODUCTS FOR OUTDOOR USE



JORDAN NATURE-PUR JM7200-3-001 JORDAN NATURE-PUR 200*



Biocide-free wood preservative for indoor and outdoor use

DELIVERY BATCHES 1, 5 and 25 kg

ADDITIONALS Cleaning: Water



PRODUCT PROPERTIES

- purely mineral, solvent- and emission-free¹
- QNG-Ready
- without pesticides, insecticides and biocides1
- free of extractable heavy metals (acc. EN 71, part 3)
- leaves no harmful substances in nature1
- impregnated wood can have contact with the ground without concern
- vegan
- suitable for bats, approved for roosts of endangered species²
- harmless for bees, after drying, insects are not harmed by contact with the treated wood1
- elimate resistant, protects against harmful environmental influences including weathering³
- eliminates the breeding ground of wood-destroying fungi and mould (acc. EN 113)4
- protects against animal wood pests such as termites, house longhorn beetles, powderpost beetles, furniture beetles, woodworm, etc.5
- prevents the spread of wood pests after infestation⁵
- 🖪 act as a flame-retardant, the spread of fire and the development of smoke are permanently inhibited⁶

LISTED AT:

- Sentinel Holding Institute the institute for healthy buildings
- European Society for Healthy Building and Indoor Hygiene (EGGBI)
- Swiss Coordination Office for Bat Protection

SCOPE OF APPLICATION



TYPE OF APPLICATION







NEW!







JORDAN NATURE FIRE-PROTECT JM7210-3-001 **JORDAN NATURE FIRE-PROTECT 210***

ADDITIONAL PRODUCT PROPERTIES

- ₱ purely mineral, solvent- and biocide-free flame retardant

 purely mineral flame f
- no harmful substances
- low flammability and low smoke emission
- increases the fire resistance of untreated wooden components
- achieves fire protection class EN 13501-1 C-s1, d0 (flame retardant) in application with CLT cross laminated timber made of spruce⁷

SCOPE OF APPLICATION



TYPE OF APPLICATION











Flame-retardant, biocide-free wood preservative

DELIVERY BATCHES 1, 5 and 25 kg

ADDITIONALS Cleaning: Water





DELIVERY BATCHES 1, 5 and 25 kg ADDITIONALS Cleaning: Water

JORDAN NATURE-COLOR JK7203 JORDAN NATURE-COLOR 203*

ADDITIONAL PRODUCT PROPERTIES

- colours based on mineral pigments
- used for individual colour design
- card shades can be mixed with each other
- non-washable and colourfast

Biocide-free, coloured wood preservative for indoor and outdoor use SCOPE OF APPLICATION



TYPE OF APPLICATION













Also available as a starter set.



JORDAN NATURE-PUR PLUS PRO JZ7202-0-001 JORDAN NATURE-PUR PLUS PRO 202*

Transparent base material for JORDAN NATURE-COLOR

DELIVERY BATCHES 1, 5 and 25 kg

ADDITIONALS Cleaning: Water ADDITIONAL PRODUCT PROPERTIES

additive to dye or lessen the JORDAN NATURE-COLOR 203 card shades



TESTED BY:

- 1. ECO Institute (certification no. ID 1016-33690-002)
- ${\bf 2.\ Swiss\ Coordination\ Office\ for\ Bat\ Protection}$
- 3. EPH, Entwicklungs- und Prüflabor Holztechnologie GmbH (Nr. 2715644)
- 4. Department for Forest Products, Faculty of Forest Sciences of the Swedish University of Agricultural Sciences (Nr. Nr. 2011-113/84)
- 5. Forest Products Department, Mississippi State University
- 6. SP Technical Research Institute of Sweden
- 7. MPA Dresden GmbH





Whether by hand or machine: With our cleaning and care products, you can maintain surfaces and ensure a long-lasting value preservation of furniture and floors.

CARED AND JTIFUL IN AN INSTANT ND CLEANING PRODUCTS

JORA-CARE-BASIC-CLEANER JZ7920-0-001

JORA-CARE-MAINTENANCE-AGENT JZ7930-0-001

JORA-CARE-WAX-POLISH JW1940-0-001

JORA-CARE-MAINTENANCE-OIL JW1950-0-001 JORA-CARE-MAINTENANCE-OIL JW7955-0-001

JORA-CARE-PLASTIC-CLEANER JZ9960-0-001

78 - 83

* To make it easier for you to switch to the new article descriptions, we have listed the old product names and article numbers in the 2nd line.



JORA-CARE-BASIC-CLEANER JZ7920-0-001

JORA-CLEAN BASIC CLEANER JCG 920*

PRODUCT PROPERTIES

- cleaning agent for very dirty surfaces (such as floors)
- suitable for removing old layers of water-based care products
- suitable for removing stubborn dirt on sealed parquet

SCOPE OF APPLICATION

TYPE OF APPLICATION







Highly effective cleaning agent for surfaces that are very susceptible to soiling

DELIVERY BATCHES 200 ml and 1 litre



Natural care product suitable for regular application

DELIVERY BATCHES 200 ml and 1 litre

JORA-CARE-MAINTENANCE-AGENT JZ7930-0-001

JORA-CARE-MAINTENANCE-AGENT JCW 930*

PRODUCT PROPERTIES

- cares on the base of natural jojoba oil
- suitable for regular maintenance care of oiled surfaces
- especially suitable for the care of furniture and lightly stressed parquet floors
- et cleans with the power of oranges

SCOPE OF APPLICATION





TYPE OF APPLICATION







JORA-CARE-WAX-POLISH JW1940-0-001 JORA-CARE WAX POLISH JCW 940*

Wax polish with protecting properties for sealed surfaces

DELIVERY BATCHES 200 ml and 1 litre

PRODUCT PROPERTIES

- easy to use
- liquid wax mixture
- highly economical, 1 litre is sufficient for approx. 200m²
- suitable for the care of sealed parquet floors
- especially suitable for the initial care of parquet floors
- ensures efficient edge protection
- ensures a thin protective film on the surface

SCOPE OF APPLICATION

<





Versatile care oil with short drying time for oiled surfaces

DELIVERY BATCHES 200 ml and 1 litre

JORA-CARE-MAINTENANCE-OIL JW1950-0-001

JORA-CARE MAINTENANCE OIL JCP 950*

PRODUCT PROPERTIES

- 🔢 suitable for the initial and maintenance care of oiled surfaces
- short drying time
- suitable for regular freshening up of oiled surfaces

SCOPE OF APPLICATION



TYPE OF APPLICATION







Versatile, water-based care oil with short drying time for oiled surfaces

DELIVERY BATCHES 200 ml and 1 litre

JORA-CARE-MAINTENANCE-OIL JW7955-0-001

JORA-CARE MAINTENANCE OIL JCP 955*

PRODUCT PROPERTIES

- suitable for the initial and maintenance care of oiled surfaces
- short drying time
- e contains natural carnauba wax
- free of VOC and cobalt-free
- suitable for regular freshening up of oiled surfaces

SCOPE OF APPLICATION

TYPE OF APPLICATION









Plastic cleaner for cleaning of plastic surfaces and edges

DELIVERY BATCHES 200 ml, 1, 2,5 and 25 litre

JORA-CARE-PLASTIC-CLEANER JZ9960-0-001

JORA-CLEAN PLASTIC CLEANER JCK 960*

PRODUCT PROPERTIES

- for the efficient removal of adhesive residues, glue residues, traces of adhesive tape as well as ballpoint pen, pencil and felt-tipped pen lines
- also suitable for detaching old stickers
- can be used for nearly all plastic surfaces such as ABS, melamine, PE, PP or PVC
- 🖶 suitable for degreasing of surfaces
- gentle, streak free cleaning

SCOPE OF APPLICATION

TYPE OF APPLICATION









SURFACES - NATURAL AND RESISTANT





The interior design of this holiday apartment in the Rhoen region was on the one side to have a smart room layout but mainly to have a comfortable and cosy atmosphere. This was achieved through the thoughtful use of the selected materials. All the furnishings, such as wall and ceiling panelling, kitchen unit, bathroom, bedroom, the interior doors as well as the dining table and the parquet flooring on the upper floor were made of veneered or solid core ash. In order to preserve the natural look of the materials used and at the same time ensure long-lasting surface protection, the choice fell on products from JORDAN Lacke.





MUSICAL MASTERPIECE IN HIGH CRAFTSMANSHIP

MASTERPIECE REFINED WITH RAW WOOD EFFECT LACQUER

In this master's examination object, the shape of a guitar should b be taken up in design with round contours, but also by the combination of the wood types, maple and walnut. Untreated split wood in the rear panel area is intended to have a climate-balancing effect and create a special atmosphere. In order to be able to install a continuous glass pane at the front, the display case is opened and loaded via pull-out side elements on the left and right. Due to a linear guide it makes it possible to move the sides evenly but also ensures the necessary stability. "The maple in the interior should be protected with a durable coating of JOCOPAN-ROHHOLZEFFEKTLACK JM2186-1-001 from JORDAN Lacke," according to Martin Leising.



THINNER AND MACHINE CLEANING

- SPECIAL-THINNER JT1313-0-001 (old: SPECIAL THINNER V 1313)
- NITRO-THINNER JT1415-0-001 (old: NITRO-THINNER V 1415)
- DD-THINNER JT1244-0-001 (old: DD-THINNER V 2244)
- BRILLIANT-THINNER JT1083-0-001 (old: THINNER HG V 2083)
- UNI-CLEAN JT1803-0-001 (old: UNI-WASHING-SOLVENT V 803)
- AQUA-CLEAN JZ9460-0-001 (old: AQUA-CLEAN AC 460)

RETARDER

RETARDER JT1019-0-001 (old: RETARDER V19)

COLOUR CONCENTRATES

CLASSIC-COLOR-CONCENTRATE JC1900 (old: CLASSIC-COLOR-CONCENTRATE CCC 1000 - 1009)

ADDITIVE TO INCREASE THE METAL MARKING RESISTANCE

CLASSIC-PRO-RING-PROTECT JA1802-0-001 (old: CLASSIC-METALMARKING-CONCENTRATE CR 802)

ADDITIVE TO INCREASE THE LIGHT RESISTANCE

CLASSIC-PRO-UV-PROTECT JA9045-0-001 (old: LIGHT GUARD CONCENTRATE LK 45)

ADDITIVE TO IMPROVE THE ADHESION PROPERTIES

- GLASS-HARDENER JH2135-0-001 (old: GLAS HARDENER GH 135)
- AQUA-CROSSLINKER JH8413-0-001

ADDITIVE TO IMPROVE THE LEVELLING PROPERTIES

AQUA-PRO-FLOW JA7403-0-001



EFFECT PASTES

- LIMED-OAK-PASTE JZ1669-0-001 (old: LIMED-OAK PASTE P 1669)
- DECO-PRO-MATT JA9620-0-001 (old: DECOMATTPASTE DM 621)
- DECO-PRO-MATT JA9620-0-002 (old: DECOMATTPASTE DM 622)
- DECO-PRO-STRUCTURE JA9600-0-001 (coarse) (old: DECOSTRUCTURE DS 604)
- DECO-PRO-STRUCTURE JA9600-0-002 (fine) (old: DECOSTRUCTURE DS 605)
- PRO-STRUCTURE JA9048-0-001

THIS AND THAT

PROFESSIONAL ADDITIVES FOR PERFECT SURFACES




| | SCOPE OF APPLICATION | PRODUCT | 1C/2C | PRODUCTLINE | TYPE OF APPLICATION | BENEFITS |
|-------------------------|----------------------|------------------------------------|-------|-------------|---|--|
| FILLER | | AQUA-MAGIC-FILLER JB7430 | 10 | AQUALINE | ≥sr <mark>Z</mark> Z | excellent filling power and excellent firmness on vertical surfaces |
| ≣ | | PUR-FILLER JB2338 | 2C | CLASSICLINE | $\mathbb{P}_{\mathcal{L}}$ | pigmented filler with good sealing effect |
| | | AQUA-MAGIC-BASE JB7163-00001 | 10 | AQUALINE | ≥ 1/2/2 | well sandable and excellent filling power |
| ATS | | CLASSIC-BASE-METAL JB1820 | 1C | CLASSICLINE | ≥1/2/s | excellent adhesion properties on various metals |
| PRIMER / BASE COATS | | CLASSIC-BASE-GLASS JB1823-0-001 | 10 | CLASSICLINE | ≥1 1 5 | excellent adhesion properties on glass |
| MER / B | | JOCOPHEN-BASE JB2010-0-001 | 2C | CLASSICLINE | ≥ x/Z/Z | very good sealing effect, even with ingredient-rich woods |
| PRII | | HIGH-SOLID-BASE JB2450-0-001 | 2C | CLASSICLINE | ≥x1,75 | high solid content, ideal as a base coat for buffable high gloss surfaces |
| | | ACRYPUR-BASE JM2310-0-001 | 2C | CLASSICLINE | ≥x Z | transparent base coat with very high filling power |
| | | AQUA-MAGIC-COLOR JK7462 | 10 | AQUALINE | ≥t/z > | light-stable and environmentally friendly colour lacquer system |
| လွ | | JORA-COLOR JK2150 | 2C | CLASSICLINE | ≥17/5 | lightfast colour lacquer system, suitable for the coating of children's toys |
| ACQUERS | | HIGH-SOLID-COLOR JK2600 | 2C | CLASSICLINE | $\geqslant 1\sqrt{1/2}$ | extremely fast drying, makes it possible to save costs and time |
| | | JORA-BRILLIANT-COLOR JK2855 | 2C | CLASSICLINE | ≥u'z | brilliant, high-gloss surfaces with very high mechanical resistance |
| COLOURED L | | COLORLUX-METALLIC JK2378 | 2C | CLASSICLINE | | metallic lacquer system for special adjustments |
| | | JORDAN NATURE-COLOR JK7203 | 1C | NATURELINE | | environmentally friendly, biocide- and pesticide-free colour system |
| YER | | PUR-MULTI-COAT JM2136 | 2C | CLASSICLINE | ≥1/5° | multi-layer lacquer with very high mechanical resistance |
| MULTI-LAYER LACQUERS | | TEMPOFIX-MULTI-COAT JM1017 | 1C | CLASSICLINE | \\ \sqrt{\frac{1}{2}}\\ \sqrt | fast-drying multi-layer lacquer, very easy processing |
| Σ | | HIGH-SOLID-CLEAR JM2400 | 2C | CLASSICLINE | ≥1/5° | high solid lacquer, very high filling power and fast drying |

| GLOSS LEVEL | HARDENER | DIN 4102 B1 low flammability or similar | EN 71, part 3 free of extractable heavy metals | DIN 53160 resistance to saliva and perspiration | DIN-68861-1B/C chemical resistance | OTHERS | PAGE |
|--|---|--|--|--|--|--|----------------|
| | | yes | yes | | | DGNB criteria for quality level 4 | 20, 56, 66 |
| | 10:1 by volume with CLASSIC-HARDENER JH2132-0-001 | yes | yes | | | | 23, 38 |
| | | | yes | | | DGNB criteria for quality level 4 | 20, 48, 56, 66 |
| | | | | | | | 25 |
| | | | | | | | 25 |
| | 2:1 by volume with JOCOPHEN-HARDENER JH2242-0-001 | | yes | | | | 24, 39 |
| | 2:1 by volume with HIGH-SOLID-HARDENER JH2023-0-001 | yes | | | | | 25 |
| | 10:1 by volume with CLASSIC-HARDENER JH2132-0-001 | | yes | | | | 24, 38 |
| matt | | yes | yes | under investigation | | DGNB criteria for quality level 4 | 21, 57, 67 |
| matt | 10:1 by volume with CLASSIC-HARDENER JH2132-0-001 | yes | yes | yes | 1B | Suitability for children's toys | 27 |
| semi-gloss (JK2600-5) matt (JK2600-3) | 2:1 by volume with HIGH-SOLID-HARDENER JH2022-0-001 | yes | yes | | 1B | | 26, 39 |
| high gloss | 2:1 by volume with BRILLIANT-HARDENER JH2870-0-001 | yes | yes | | 1B | | 26 |
| matt | 10:1 by volume with CLASSIC-HARDENER JH2132-0-001 | | yes | | 1B | | 27, 40 |
| matt | | | | | | INSTITUT INCHE PRODUCT IN VINE (ART) MAI | 77 |
| semi-gloss (JM2136-5-001) semi-matt (JM2136-4-001) matt (JM2136-3-001) deep-matt (JM2136-2-001) | 10:1 by volume with PUR-HARDENER JH2136-0-001 | | yes | yes | 1B | | 28, 40 |
| semi-gloss (JM1017-5-001) semi-matt (JM1017-4-001) | | | yes | yes | | | 28 |
| glossy (JM2400-6-001) matt (JM2400-3-001) deep-matt (JM2400-2-001) | 2:1 by volume with HIGH-SOLID-HARDENER JH2023-0-001 | | yes | yes | 1B | | 29 |

| | SCOPE OF APPLICATION | PRODUCT | 1C/2C | PRODUCT LINE | TYPE OF APPLICATION | BENEFITS |
|----------------|----------------------|---|-------|--------------|---|--|
| | | AQUA-MAGIC-CLEAR JM7475 | 1C | AQUALINE | >1 7 | water-based clear lacquer with high scratch and abrasion resistance |
| | | AQUA-MAGIC-CLEAR JM7477 | 1C | AQUALINE | >1 ² 7 ² 7 ² 7 | elegant appearance for porous woods |
| | | AQUA-STEP JM7490-4-001 | 1C+2C | AQUALINE | >175 | very high light stability and high mechanical resistance |
| | | AQUA-NATURAL-EFFECT JM8420-1-001 | 2C | AQUALINE | >12 € | natural raw wood-like surface with good resistance |
| | | JORA-BRILLIANT JF2875-7-001 | 2C | CLASSICLINE | >11/3/3 | brilliant, high-gloss surfaces with very high mechanical resistance |
| UERS | | JORA-ULTRA-MATT-RESIST JF2492-1-001 | 2C | CLASSICLINE | ≥x/J/s | ultra matt surface with extremely high gloss stability, anti-fingerprint effect |
| CLEAR LACOUERS | | CLASSIC-EXTREME-RESIST JM2894 | 2C | CLASSICLINE | ≥17 } | extremely high mechanical and chemical resistance, anti-fingerprint effect |
| CLEA | | GIESS-COLORLUX JM2370 | 2C | CLASSICLINE | | lightfast topcoat for curtain coating and spraying |
| | | JOCOPAN- ROHHOLZEFFEKTLACK JM2186-1-001 | 2C | CLASSICLINE | \sqrt{\frac{1}{2}}\rm \rm \rm \rm \rm \rm \rm \rm \rm \rm | fast drying, resistant natural effect lacquer |
| | | JORDAN NATURE FIRE-PROTECT JM7210-3-001 | 10 | NATURELINE | | increases the flame retardant properties of wood substrates |
| | | JORDAN NATURE-PUR JM7200-3-001 | 10 | NATURELINE | | environmentally friendly, biocide- and pesticide-free wood preservative |
| ST | | DECO-OIL-COLOR JW1630 | 10 | DECOLINE | | coloured oil in 11 basic shades, all shades can be mixed with each other |
| WAXES AND OILS | | DECO-OIL-CLEAR JW1640-3-001 | 10 | DECOLINE | | water and dirt repellent properties |
| W | | DECO-0IL-EC0 JW1660-3-001 | 1C+2C | DECOLINE | → | very easy processing |

| 01000151/51 | | B.W | | | | | |
|--|---|--|--|--|--|---|--------------------|
| GLOSS LEVEL | HARDENER | DIN 4102 B1 low flammability or similar | EN 71, part 3 free of extractable heavy metals | DIN 53160 resistance to saliva and perspiration | DIN-68861-1B/C chemical resistance | OTHERS | PAGE |
| semi-matt (JM7475-4-001) matt (JM7475-3-001) deep matt (JM7475-2-001) | | yes | yes | yes | | DGNB criteria for quality level 4 | 21, 57, 67 |
| semi-matt (JM7477-4-001) matt (JM7477-3-001) deep matt (JM7477-2-001) | | yes | yes | yes | | DGNB criteria for quality level 4 | 22, 58, 68 |
| semi-matt | 10:1 by volume with AQUA-HARDENER JH8410-0-001 | yes | yes | yes | 1B | DGNB criteria for quality level 4 | 22, 48, 58, 68 |
| natural effect | 10:1 by volume with AQUA-HARDENER JH8410-0-001 | | yes | yes | 1B | DGNB criteria for quality level 4 | 23, 59, 69 |
| high gloss | 2:1 by volume with BRILLIANT-HARDENER JH2870-0-001 | yes | yes | yes | 1B | | 31, 42 |
| natural effect | 100:15 by volume with CLASSIC-HARDENER JH2132-0-001 | | yes | yes | 1B | | 30, 42 |
| deep-matt (JM2894-2-001) natural-effect (JM2894-1-001) | 10:1 by volume with CLASSIC-HARDENER JH2132-0-001 | | yes | yes | 1B | | 29, 41 |
| glossy (JM2370-6-001) semi-gloss (JM2370-5-001) semi-matt (JM2370-4-001) matt (JM2370-3-001) deep-matt (JM2370-2-001) natural effect (JM2370-1-001) | 10:1 by volume with CLASSIC-HARDENER JH2132-0-001 | yes | yes | yes | 1B | | 30, 41 |
| natural effect | 2:1 by volume with JOCOPAN-HARDENER JH2186-0-001 | | yes | yes | 1B | | 31 |
| matt | | yes | yes | | | | 76 |
| matt | | | yes | | | INSTITUT INS | 76 |
| matt | | | | | 10 | complies GISCODE: Ö60, cobalt-free | 32, 49, 59, 69 |
| matt | | | yes | yes | 10 | complies GISCODE: Ö60, cobalt-free | 32, 43, 50, 60, 70 |
| matt | 10:1 by volume with DECO-OIL-HARDENER JH2613-0-001 | | yes | yes | 10 | complies GISCODE: Ö10+, Ö-Norm C 2380:2021, cobalt-free | 33, 43, 50, 60, 70 |

| | SCOPE OF APPLICATION | PRODUCT | 1C/2C | PRODUCTLINE | TYPE OF APPLICATION | BENEFITS |
|-------------------|----------------------|--|-------|-------------|---------------------|--|
| S OILS | | DECO-OIL-BRIGHT JW1640-30001 | 10 | DECOLINE | | excellent water resistance |
| WAXES AND OILS | | DECO-OIL-NATURAL-WAX JW1680-3-001 | 1C | DECOLINE | | good penetration behaviour |
| | | DECO-OIL-HARD-WAX JW1610 | 1C | DECOLINE | | extremely good penetration behaviour and easy processing |
| STAINS | | HYDROSTAIN-MODULAR JC73X0 | 10 | | | modular stain system for a wide range of applications |
| S | | CLASSICSTAIN JC1731 - JC1833 | 10 | | | mixable base shades for a wide range of creative possibilities |
| | | JORA-CARE-BASIC-CLEANER JZ7920-0-001 | | | | highly effective cleaning agent for heavily soiled surfaces |
| 9NII | | JORA-CARE-MAINTENANCE- AGENT JZ7930-0-001 | | | | natural cleaning and care product |
| CLEAN | Z _m | JORA-CARE-WAX-POLISH JW1940-0-001 | | | | easy to handle polish with protective effect |
| CARE AND CLEANING | Z _m | JORA-CARE-MAINTENANCE- OIL JW1950-0-001 | | CARELINE | | fast drying care for oiled surfaces |
| CAR | Z _m | JORA-CARE-MAINTENANCE- OIL JW7955-0-001 | | | | natural, water-based maintenance oil, VOC-free |
| | | JORA-CARE-PLASTIC- CLEANER JZ9960-0-001 | | CARELINE | | effective cleaner for plastic surfaces |



| GLOSS LEVEL | HARDENER | DIN 4102 B1 low flammability or similar | EN 71, part 3 free of extractable heavy metals | DIN 53160 resistance to saliva and perspiration | DIN-68861-1B/C chemical resistance | OTHERS | PAGE |
|--|----------|--|--|--|--|---|--------------------|
| matt | | | yes | yes | 10 | complies GISCODE: Ö 60, cobalt-free | 33, 44, 51, 61, 71 |
| semi-matt to matt | | | yes | yes | 10 | complies GISCODE: Ö 60, cobalt-free | 34, 44, 51, 61, 71 |
| semi-gloss (JW1610-5-001) matt (JW1610-3-001) | | | yes | yes | 10 | complies GISCODE: Ö 60, cobalt-free | 34, 49 |
| | | | | | | | 35, 52, 62, 72 |
| | | | | | | | 35, 45 |
| | | | | | | | 80 |
| | | | | | | | 80 |
| | | | | | | | 81 |
| | | | | W @ | @\\ | | 81 |
| | | | | | | | 82 |
| | | | | A | | | 82 |

SCOPE OF APPLICATION



Indoors/Outdoors





Interior Fittings



Stairs



Furniture



Parquet



Kitchen



Baths



Doors



Metal



Glass



Cleaning



Care



